

PART III

STORES PURCHASE DEPARTMENT

Agriculture Department

ലഘുദർഘാസ് പരസ്യം

നമ്പർ ടി.ബി.(1)1381/2009.

2009 ജൂലൈ 27.

കാസർഗോഡ് പ്രിൻസിപ്പൽ കൃഷി ഓഫീസിലേക്ക് ഹോർട്ടികൾച്ചർ പദ്ധതിയിൻകീഴിൽ താഴെ പറയും പ്രകാരം സ്റ്റിൽ അലമാര സപ്ലൈ ചെയ്യുന്നതിന് അംഗീകൃത കരാറുകാരിൽ നിന്നും മുദ്രവച്ച ടെണ്ടറുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

അളവ്	വലുപ്പം	എണ്ണം
.8 എം.എം. ഗേജ്	1350 × 765 × 440mm (50)	4
.8 എം.എം. ഗേജ്	1980 × 920 × 480mm (75)	3

ടെണ്ടർ ഫോറത്തിന്റെ വില:

ഒറിജിനൽ—രൂപ 300+12.5% വാറ്റ്.

ഡ്യൂപ്ലിക്കേറ്റ്—രൂപ 150+12.5% വാറ്റ്.

ടെണ്ടറുകൾ 27-8-2009, 2 മണിവരെ സ്വീകരിക്കുന്നതും അന്നേ ദിവസം വൈകുന്നേരം 3 മണിക്ക് തുറക്കുന്നതുമാണ്. ടെണ്ടർ ഫോറങ്ങൾ 15-8-2009 മുതൽ 27-8-2009, 12 മണിവരെ കാസർഗോഡ് പ്രിൻസിപ്പൽ കൃഷി ഓഫീസിൽ നിന്നും പ്രവൃത്തി ദിവസങ്ങളിൽ വാങ്ങാവുന്നതാണ്.

ഗവൺമെന്റ് ടെണ്ടറിനുള്ള എല്ലാ നിബന്ധനകളും ഈ ടെണ്ടറിനും ബാധകമാണ്. ടെണ്ടർ സംബന്ധിച്ചുള്ള വിശദ വിവരങ്ങൾ പ്രവൃത്തി ദിവസങ്ങളിൽ കാസർഗോഡ് പ്രിൻസിപ്പൽ കൃഷി ഓഫീസിൽ നിന്നും അറിയാവുന്നതാണ്.

പ്രിൻസിപ്പൽ കൃഷി ഓഫീസ്, (ഒപ്പ്)
കാസർഗോഡ്. പ്രിൻസിപ്പൽ കൃഷി ഓഫീസർ.

Collegiate Education Department

SHORT TENDER NOTICES

(1)

[No. III/2009-10]

No. A9-2662/07/XI UGC/UG Assistance. 17th July 2009.

Sealed tenders are invited for the supply of Lab Equipments in various departments of Maharaja's College, Ernakulam during 2009-10 under UG Assistance XI Plan Fund.

The tenders should be superscribed "Supply of Lab Equipments in various departments of Maharaja's College, Ernakulam. Tenders will be opened at 3.30 p. m. on 31-8-2009 in the presence of such of the tenderers or their authorised representatives who may be present at that time. Late tenders will not be accepted.

Estimated Cost is—Rs. 2,11,930.

Gaz No. 33/2009/DTP. (SPC-Supplement).

Intending tenderers may, on application to the Principal, Maharaja's College, Ernakulam, Kochi-11 obtain the requisite tender forms (before 2 p.m. on all working days) on which tenders should be submitted. Application for the tender form should be accompanied by a cash remittance of Rs. 788 (700+88), which is the price fixed for the form and which is not refundable under any circumstances. Those who wish to get the tender form by post, have to sent Rs. 838 (700+88+50) by Money Order. In the case of bidder outside Kerala, Stamp Paper worth Rs. 50 for executing agreement will be sent on their request along with an additional amount of Rs. 50. The tender forms are not transferable. Sale of tender forms will be closed at 2 p.m. on 31-8-2009. Cheques, Postal Orders will not be accepted towards the cost of tender forms, nor will the forms be sent by V. P. P. Duplicate tender forms if required will be issued at Rs. 394 per copy. The rates quoted will be valid up to 31-3-2010. 1% of the total cost of articles tendered should be deposited towards EMD by DD drawn in favour of the undersigned.

എറണാകുളം മഹാരാജാസ് കോളേജിലെ വിവിധ വിഭാഗങ്ങളിൽ ലാബ് ഉപകരണങ്ങൾ സപ്ലൈ ചെയ്യുന്നതിന് മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ദർഘാസുകൾ "ദർഘാസ് നമ്പർ III/2009-10 യു. ജി. അസിസ്റ്റന്റ് XI പ്ലാൻ ഫണ്ട് ലാബ് ഉപകരണങ്ങൾ സപ്ലൈ ചെയ്യുന്നതിന്" എന്ന് ആലേഖനം ചെയ്ത മുദ്രവച്ച കവറിന് മുകളിൽ പ്രിൻസിപ്പാൾ, മഹാരാജാസ് കോളേജ്, എറണാകുളം എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതാണ്. ദർഘാസുകൾ 2009 ആഗസ്റ്റ് മാസം 31-ാം തീയതി ഉച്ചകഴിഞ്ഞ് 2 മണിവരെ വിൽക്കുന്നതും അന്നേ ദിവസം 3 മണിവരെ പൂരിപ്പിച്ച ദർഘാസുകൾ സ്വീകരിക്കുന്നതും അന്നേ ദിവസം 3.30 പി. എം.-ന് ദർഘാസുകാരരുടെയോ അവർ ചുമതലപ്പെടുത്തിയ പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതുമാണ്. വൈകിക്കിട്ടുന്നതും മുദ്രവയ്ക്കാത്തതുമായ ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല.

അടങ്കൽ തുക—2,11,930 രൂപ.

താല്പര്യമുള്ളവർ 788 (700+88) രൂപ ഓഫീസിൽ നേരിട്ട് അടച്ചോ 838 രൂപ മണിയോർഡറായോ പ്രിൻസിപ്പാൾ, മഹാരാജാസ് കോളേജ്, എറണാകുളം എന്ന വിലാസത്തിൽ അപേക്ഷിച്ചാൽ ദർഘാസ് ഫോറം ലഭിക്കുന്നതാണ്. കേരളത്തിന് പുറത്തുള്ള സ്ഥാപനങ്ങൾ എഗ്രിമെന്റ് ഒപ്പ് വയ്ക്കുന്നതിനുള്ള സർക്കാർ മുദ്രപത്രത്തിനുള്ള 50 രൂപ അധികമായി അയച്ചുതന്നാൽ ആയത് തപാൽമാർഗ്ഗം അയച്ചു തരുന്നതാണ്. ദർഘാസ് ഫോറത്തിന്റെ രണ്ടാം പകർപ്പ് നേരിട്ട് ലഭിക്കുന്നതിന് 394 രൂപയും തപാലിൽ ലഭിക്കുന്നതിന് 444 രൂപയും അടയ്ക്കേണ്ടതാണ്. വിശദവിവരങ്ങൾ കോളേജ് ഓഫീസിൽ നിന്നും എല്ലാ പ്രവൃത്തി ദിവസങ്ങളിലും അറിയാവുന്നതാണ്.

(2)

[No. IV/2009-10]

No. A9-2662/07/XI UGC/UG Assistance. 17th July 2009.

Sealed tenders are invited for the supply of Computer and Accessories, Photocopier in various departments of Maharaja's College, Ernakulam during 2009-10 under UG Assistance XI Plan Fund.

The tenders should be superscribed "Supply of Computer and Accessories, Photocopier in various departments of Maharaja's College, Ernakulam". The tenders will be opened at 4 p. m. on 31-8-2009 in the presence of such of the tenderers or their authorised representatives who may be present at that time. Late tenders will not be accepted.

Estimated Cost is—Rs. 3,25,400.

Intending tenderers may, on application to the Principal, Maharaja's College, Ernakulam, Kochi-11, obtain the requisite tender forms (before 2 p.m. on all working days) on which tender should be submitted. Application for the tender form should be accompanied by a cash remittance of Rs. 788 (700+88) which is the price fixed for the form and which is not refundable under any circumstances. Those who wish to get the tender form by post, have to sent Rs. 838 (700+88+50) by Money Order. In the case of bidder outside Kerala, Stamp Paper worth Rs. 50 for executing agreement will be sent on their request along with an additional amount of Rs. 50. The tender forms are not transferable. Sale of tender forms will be closed at 2. p.m. on 31-8-2009. Cheques, Postal Orders will not be accepted towards the cost of tender forms, nor will the forms be sent by V. P. P. Duplicate tender forms if required will be issued at Rs. 394 per copy. The rates quoted will be valid up to 31-3-2010. 1% of the total cost of articles tendered should be deposited towards E.M.D. by DD drawn in favour of the undersigned.

എറണാകുളം മഹാരാജാസ് കോളേജിലെ വിവിധ വിഭാഗങ്ങളിൽ കമ്പ്യൂട്ടറും മറ്റ് അനുബന്ധ സാമഗ്രികളും, ഫോട്ടോ കോപ്പിയറും സപ്ലൈ ചെയ്യുന്നതിന് മുദ്രവച്ച ദർശാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ദർശാസുകൾ "ദർശാസ് നമ്പർ IV/2009-10 യു. ജി. അസിസ്റ്റൻസ് XI പ്ലാൻ ഫണ്ട് കമ്പ്യൂട്ടറും മറ്റ് അനുബന്ധ സാമഗ്രികളും, ഫോട്ടോകോപ്പിയറും സപ്ലൈ ചെയ്യുന്നതിന്" എന്ന് ആലേഖനം ചെയ്ത മുദ്രവച്ച കവറിന് മുകളിൽ പ്രിൻസിപ്പാൾ, മഹാരാജാസ് കോളേജ്, എറണാകുളം എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതാണ്. ദർശാസുകൾ 2009 ആഗസ്റ്റ് മാസം 31-ാം തീയതി ഉച്ച കഴിഞ്ഞ് 2 മണിവരെ വിൽക്കുന്നതും, അന്നേ ദിവസം 3 മണിവരെ പുരിപ്പിച്ച ദർശാസുകൾ സ്വീകരിക്കുന്നതും അന്നേ ദിവസം 4 പി. എം.-ന് ദർശാസുകാരുടെയോ, അവർ ചുമതലപ്പെടുത്തിയ പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതുമാണ്. വൈകി കിട്ടുന്നതും മുദ്രവയ്ക്കാത്തതുമായ ദർശാസുകൾ പരിഗണിക്കുന്നതല്ല.

അടങ്കൽ തുക—3,25,400 രൂപ.

താല്പര്യമുള്ളവർ 788 (700+88) രൂപ ഓഫീസിൽ നേരിട്ട് അടച്ചോ 838 രൂപ മണിയോർഡറായോ പ്രിൻസിപ്പാൾ, മഹാരാജാസ് കോളേജ്, എറണാകുളം എന്ന വിലാസത്തിൽ

അപേക്ഷിച്ചാൽ ദർശാസ് ഫോറം ലഭിക്കുന്നതാണ്. കേരളത്തിന് പുറത്തുള്ള സ്ഥാപനങ്ങൾ എഗ്രിമെന്റ് ഒപ്പുവയ്ക്കുന്നതിനുള്ള സർക്കാർ മുദ്രപ്പത്രത്തിനുള്ള 50 രൂപ അധികമായി അയച്ചുതന്നാൽ ആയത് തപാൽമാർഗ്ഗം അയച്ചുതരുന്നതാണ്. ദർശാസ് ഫോറത്തിന്റെ രണ്ടാം പകർപ്പ് നേരിട്ട് ലഭിക്കുന്നതിന് 394 രൂപയും തപാലിൽ ലഭിക്കുന്നതിന് 444 രൂപയും അടയ്ക്കേണ്ടതാണ്. വിശദവിവരങ്ങൾ കോളേജ് ഓഫീസിൽ നിന്നും എല്ലാ പ്രവൃത്തി ദിവസങ്ങളിലും അറിയാവുന്നതാണ്.

Maharaja's College,
Ernakulam.

(Sd.)
Principal.

SHORT TENDER NOTICE

[No. 2/2009-10]

No. A3-600/2009.

30th July 2009.

Sealed tenders are invited for the supply of Water Coolers (2 Nos.) for the year 2009-10 for an estimated cost of Rs. 40,000 (Rupees Forty Thousand only) under the Students Amenities (Plan) for 2009-10. The specification of the articles will be supplied along with the tender form. The tender should be superscribed as "Tender for the Supply of Water Coolers (2 Nos.) for the year 2009-10 at K.M.M. Govt. Women's College, Kannur-4" and addressed to the Principal, K.M.M. Govt. Women's College, Kannur P.O. Pallikunnu, Pin-670 004.

Cost of tender form:

Original—Rs. 150+19 (S.T.)=Rs.169

Duplicate—Rs. 100+13 (S.T.)=Rs. 113

(Costs are non-refundable.)

Last date and time of closing sale of tender form
31-8-2009, 1 p. m.

Last date and time of receipt of tender form—
31-8-2009, 2 p. m.

Date and time of opening of tender form—31-8-2009,
3 p. m.

The tender will be opened in the presence of such tenderers or their authorised representatives who may be present at that time. The tender forms are not transferable. The tender form if required by post will be sent on payment of Rs. 206 (cost of tender form Rs. 150, Sales Tax Rs. 19 and postage charge Rs. 37) by Money Order to the Principal, K.M.M. Govt. Women's College, Kannur, P. O. Pallikunnu, Pin-670 004. Cheque or Demand Draft are not acceptable. The rate quoted should be inclusive of all taxes.

Intending tenderers should deposit an amount of 1% of the total cost quoted as Earnest Money Deposit in favour of the Principal, K.M.M. Govt. Women's College, Kannur, together with an agreement in Kerala Govt. Stamp Paper worth Rs. 50 towards the rate quoted remains firm till 31-3-2010.

The undersigned reserves the right to reject or accept any tender without assigning any reason.

More details if any can be had from the office on working days.

കണ്ണൂർ കെ. എം. എം. ഗവ. വനിതാ കോളേജിലേക്ക് 2009-10 വർഷത്തേക്ക് രണ്ട് വാട്ടർ കൂളർ സപ്ലൈ ചെയ്യുവാൻ താൽപര്യമുള്ളവരിൽ നിന്നും മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസ് സംഖ്യ 40,000 (നാൽപ്പതിനായിരം) രൂപയാണ്.

മുദ്രവച്ച ദർഘാസുകളുടെ കവറിന് മുകളിൽ “കെ. എം. എം. ഗവ. വനിതാ കോളേജിലേക്ക് 2009-10 വർഷത്തിൽ രണ്ട് വാട്ടർ കൂളർ വിതരണം ചെയ്യുന്നതിന്” എന്ന മേലേഴുത്തോടുകൂടി പ്രിൻസിപ്പാൾ, കെ. എം. എം. ഗവ. വനിതാ കോളേജ്, പി.ഒ. പള്ളിക്കുന്ന്, കണ്ണൂർ-4 എന്ന വിലാസത്തിൽ ലഭിക്കത്തക്കവിധം അയയ്ക്കേണ്ടതാണ്. ദർഘാസ് ഫാറത്തിന്റെ വില 169 രൂപയും (നികുതിയടക്കം) ഡ്യൂപ്ലിക്കേറ്റിന്റെ വില 113 രൂപയും (നികുതിയടക്കം) ആകുന്നു. ദർഘാസ് ഫോറത്തിന്റെ വില തിരിച്ചുകൊടുക്കുന്നതല്ല. ദർഘാസ് ഫോറങ്ങളുടെ വിൽപ്പന 31-8-2009-ന് ഉച്ചയ്ക്ക് 1 മണിക്ക് അവസാനിക്കുന്നതാണ്. പുരിപ്പിച്ച ദർഘാസുകൾ 31-8-2009-ന് 2 മണി വരെ ഓഫീസിൽ സ്വീകരിക്കുന്നതാണ്. അന്നുതന്നെ ഉച്ചയ്ക്ക് 3 മണിക്ക് ദർഘാസുകാരുടെയോ, അവരുടെ പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ ദർഘാസുകൾ തുറക്കുന്നതാണ്. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യുവാൻ പാടുള്ളതല്ല.

ദർഘാസുകൾ തപാൽ മുഖാന്തിരം ആവശ്യമുള്ളവർ ആയതിന് 206 രൂപ (തപാൽ ചെലവടക്കം) പ്രിൻസിപ്പാളിന്റെ പേരിൽ മണിയോർഡർ അയയ്ക്കേണ്ടതാണ്. ചെക്കുകൾ, ഡിമാന്റ് ഡ്രാഫ്റ്റ് എന്നിവ സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകളിൽ രേഖപ്പെടുത്തിയ തുക എല്ലാ നികുതികളും ഉൾപ്പെടെയായിരിക്കണം.

പുരിപ്പിച്ച ദർഘാസുകളോടൊപ്പം 1% (ഒരു ശതമാനം) നിരക്കിൽ നിരതദ്രവ്യമായി കണ്ണൂർ കെ. എം. എം. ഗവ. വനിതാ കോളേജ് പ്രിൻസിപ്പാളിന്റെ പേരിൽ എടുത്ത ഡിമാന്റ് ഡ്രാഫ്റ്റ്, കേരള സർക്കാരിന്റെ 50 രൂപ വിലയുള്ള മുദ്രപത്രത്തിൽ രേഖപ്പെടുത്തി എഗ്രിമെന്റീനോടൊപ്പം അയയ്ക്കേണ്ടതാണ്. ഏതൊരാളുടേയും ദർഘാസ് കാരണം കൂടാതെ നിരസിക്കുവാനുള്ള അവകാശം പ്രിൻസിപ്പാളിന് ഉണ്ടായിരിക്കും. കൂടുതൽ വിവരങ്ങൾ ഓഫീസിൽ നിന്നും പ്രവൃത്തി ദിവസങ്ങളിൽ ലഭിക്കുന്നതാണ്.

Specifications of Water Coolers

Type—Storage

Diamentions (m.m.):

Width—364

Depth—505

Height—1117

Weight without water (kg.)—32.5

Maximum current (amps.)—1.6

Cooling storage:

Capacity (ltrs/hr)—20

Capacity (ltrs)—20

No. of cold water taps—1

Refrigerant—R 134a

Compressor—Hermetic type with suction gas cooled motor, equipped with over load protector.

Condenser Fan—Propeller type (Quiet)

Thermostat—Automatically controlled temperature.

Power supply—230 Volts+10%, 50Hz, Single phase.

Water supply—3 m. to 12m. head. Use pressure reducing value, if the water head is higher than 12m.

Power connection—5amps 3-pin plug with proper earth connection.

Water connection:

(a) Inlet—12.7 m. m. BSP connection

(b) Drain—25.4 and 12.7. m.m. BSP connection

Krishna Menon Memorial
Govt. Women's College,
Kannur.

(Sd.)
Principal.

SHORT TENDER NOTICE

No. A1-326/2009/(II).

23rd July 2009.

Sealed tenders are invited for the supply of following stores for E. K. N. M. Govt. College, Elerithattu, Kasargod District.

Portable Generator—1 No.

2600 VA Out put single phase
Fuel—Petrol

The tender should be superscribed “Tender for supply of Portable Generator 2009-10” and addressed to “The Principal, E. K. Nayanar Memorial Government College, Elerithattu, Elerithattu P. O., Kasaragod Dist., Pin-671 314”. Last date of receipt of tender is 28-8-2009, 2 p. m. Late tenders will not be accepted. The tenders will be opened at 3 p.m. on 28-8-2009 in the presence of such of the tenderers or their authorised representatives who may be present at that time.

Intending tenderers may on application to the Principal, E. K. Nayanar Memorial Government College, Elerithattu, obtain the requisite tender forms on which tender should be submitted. Application for the tender form should be accompanied by a cash remittance of Rs. 450 which is the price fixed for a form and which is not refundable under any circumstances. Those who wish to get the tender forms by post, may remit an additional amount of Rs. 30. The tender forms are not transferable.

Sale of tender forms will be closed at 2. p.m. on 27-8-2009. Cheques, postage stamps etc. will not be accepted towards the cost of tender forms, nor will the forms be sent per V. P. P. Duplicate tender forms if required will be issued at Rs. 225 per copy.

ഇ. കെ. നായനാർ മെമ്മോറിയൽ ഗവ. കോളേജ് എളേരിത്തട്ടിലേക്ക് താഴെ പറയുന്ന ഉപകരണം വിതരണം ചെയ്യുന്നതിന് മുദ്രവച്ച ദർശാസുകൾ ക്ഷണിക്കുന്നു.

പോർട്ടബിൾ ജനറേറ്റർ—1 എണ്ണം.

2600 വി. എ. ഔട്ട്പുട്ട് സിങ്കിൾ ഫേസ്.
ഇന്ധനം—പെട്രോൾ.

ദർശാസ് അടക്കം ചെയ്ത കവറിന് പുറത്ത് പോർട്ടബിൾ ജനറേറ്റർ വിതരണം ചെയ്യാനുള്ള ദർശാസ് 2009-10 എന്ന് എഴുതി പ്രിൻസിപ്പാൾ, ഇ.കെ. എൻ. എം. ഗവ. കോളേജ്, എളേരിത്തട്ട്, എളേരിത്തട്ട് പി. ഒ., കാസർഗോഡ്, പിൻ-671 314 എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതാണ്. ദർശാസുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതി 28-8-2009, 2 മണി ആണ്. ദർശാസുകൾ 2009 ആഗസ്റ്റ് മാസം 28-ാം തീയതി ഉച്ചയ്ക്ക് 3 മണിക്ക് അപ്പോൾ സന്നിഹിതരായിട്ടുള്ള കരാറുകാരുടെയോ അവരുടെ അംഗീകൃത ഏജന്റുമാരുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്. വൈകി ലഭിക്കുന്ന ദർശാസുകൾ പരിഗണിക്കുന്നതല്ല.

പങ്കെടുക്കാൻ താൽപ്പര്യമുള്ള കരാറുകാർ ദർശാസ് ഫാരം ലഭിക്കുന്നതിന് പ്രിൻസിപ്പാൾ, ഇ.കെ. എൻ. എം. ഗവ. കോളേജ്, എളേരിത്തട്ട് എന്ന വിലാസത്തിൽ അപേക്ഷിക്കേണ്ടതാണ്. അപേക്ഷയോടൊപ്പം ദർശാസ് ഫോറത്തിന്റെ വില 450 രൂപ പണമായി അടയ്ക്കേണ്ടതാണ്. ഫോറത്തിന്റെ വില തിരിച്ച് നൽകുന്നതല്ല. ദർശാസ് ഫോറം തപാൽ മാർഗ്ഗം ലഭിക്കുന്നതിന് 30 രൂപ അധികമായി അടയ്ക്കേണ്ടതാണ്. ദർശാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യുവാൻ പാടുള്ളതല്ല. ദർശാസ് ഫോറത്തിന്റെ വിലപ്പൻ 2009 ആഗസ്റ്റ് 27-ാം തീയതി ഉച്ചയ്ക്ക് 2 മണിക്ക് അവസാനിക്കും. ദർശാസ് ഫോറത്തിന്റെ വിലയായി ചെക്ക്, പോസ്റ്റേജ് സ്റ്റാമ്പുകൾ മുതലായവ സ്വീകരിക്കുകയോ, ഫോറം വി.പി.പി. ആയി അയയ്ക്കുകയോ ചെയ്യുന്നതല്ല. ഡ്യൂപ്ലിക്കേറ്റ് ദർശാസ് ഫോറങ്ങൾക്ക് 225 രൂപ അധികമായി അടയ്ക്കേണ്ടതാണ്.

E.K.N.M. Govt. College,
Elerithattu.

(Sd.)
Principal.

Department of Electrical Inspectorate

SHORT TENDER NOTICES

(1)

[1/2009-10/CEI]

No. G1-10794/2009/CEI.

22nd July 2009.

Sealed tenders are invited by the undersigned for the supply of the following instruments/equipments to the office of the Electrical Inspector, Meter Testing and Standards Laboratory, Thiruvananthapuram.

SCHEDULE

Sl. No.	Name of Instrument/Equipment with Specification	Quantity required
(1)	(2)	(3)

Equipments for Testing Rigid Conduits of Insulating Materials as per IS:9537

- 1 Gauges for checking maximum outside diameter of 20mm and 25mm conduits 1 each

Steel gauges as per Fig. 1 and Clause 7.1.1 of IS:9537 Part 3 Manufacturing tolerance — -0
- 0.01 mm
Admissible wear — +0.01 mm

- 2 Gauges for checking minimum outside diameter of 20mm and 25mm conduits 1 each

Steel gauges as per Fig. 2 and Clause 7.1.1 of IS:9537 Part 3 Manufacturing tolerance — 0
- 0.022 mm
Admissible wear — +0.022 mm

- 3 Gauges for checking minimum inside diameter of 20mm and 25mm conduits 1 each

Polished steel gauges as per Fig. 3 and Clause 7.2 of IS:9537 Part 3 Manufacturing tolerance — +0.05 mm
0
Admissible wear — 0.01 mm

- 4 Bending Fixture for 20mm and 25mm conduits 1 each

Two numbers of fixtures as per Fig. 4 and Clause 9.2 of IS:9537 Part 3 for conducting bending test on 20mm and 25mm conduits and two gauges of hardened and polished steel as in Fig. 5 of clause 9.5.2 of IS:9537 (Part 3). Manufacturing tolerance — + 0.05 mm
0
Admissible wear — 0.01 mm
Tolerance on axial dimension — ± 0.2 mm

- 5 Compression Test Apparatus 1

Compression test apparatus as detailed in Fig. 1 and Clause 9.3.2 of IS:9537 (Part 1). Compression apparatus shall have definite mass to apply force at 125 Newton, 320 Newton 750 Newton 1250 Newton and 4000 Newton for different grades of conduits

(1)	(2)	(3)
6	Collapse Test Apparatus for 20mm and 25mm Conduits Collapse test system as per Fig. 3 and clause 9.5 of IS:9537 (Part I) for conducting collapse test	1 each
7	Impact Test Apparatus Impact Test Apparatus as per Fig. 2 and clause 9.4 of IS:9537 (Part I) for conducting impact test	1
8	Ball Pressure Test Apparatus Ball Pressure Test Apparatus as per Fig. 6 and clause 10 of IS:9537 (Part 3)	1
9	Water Bath Size not less than 450mm × 450mm × 600mm Temperature Range— + 25°C to + 65°C Temperature Accuracy— ± 1% Temperature Uniformity— ± 1°C Temperature Resolution— 0.1°C Power—Mains operated 230V AC/50 Hz. Timer—Time hour meter shall be provided Indicator—Mains ON/OFF indicator, fault indicator etc. Digital temperature Indicator with Sensor shall be provided Sealing—Double walled, thermo statically sealed with glass wool to avoid temperature losses. Stirrer—Stirrer shall be provided along with the item The chamber shall be of double walled type, inner wall shall be made of stainless steel and outer wall be of mild steel with powder coated paint or stove enamelled. A lid shall also be provided to cover the bath A digital temperature indicator cum controller shall be provided to control the temperature.	1
10	Burner Burner and associated equipments suitable for testing the resistance to burning of conduit material as per clause 11 of IS: 9537 (Part I)	1
11	External Influence Chemicals and materials suitable for verifying the external influence as detailed in clause 13 of IS:9357 (Part I) (Excluding gas)	1

Tenders should be superscribed as “Tender No. 1/2009-10/CEI” for the supply of Electrical Instruments/ Equipments” addressed to the Chief Electrical Inspector, Housing Board Buildings, Santhi Nagar, Thiruvananthapuram-1.

Total Estimated Cost—Rs. 6,00,000 (Including Packing, Freight charge, Insurance and Inclusive of all taxes.)

EMD—1% of total quoted value.

Cost of tender form :

Original—Rs. 1,200 + 12.5% VAT.

Duplicate—Rs. 600 + 12.5% VAT.

Last date and time of sale of tender form—31-8-2009, 12 Noon.

Last date and time of receipt of tender form—31-8-2009, 3 p.m.

Opening date and time of tender form—31-8-2009 at 3.30 p.m.

Period of firmness will be 1 month from the date of supply order.

Intending tenderers may on application to the Chief Electrical Inspector, Thiruvananthapuram in between 10.15 a.m. and 3 p.m. on any working days can obtain the requisite forms on which tenders should be submitted. Application for tender forms should be accompanied by the cost of the tender forms also which under no circumstances will be refunded. The cost will be accepted by cash or money order only. V.P.P., I.P.O./D.D./Postal Stamps are not accepted. Late tenders will not be accepted. The department is not responsible for postal delays. The undersigned has the power to accept/reject the tender without assigning any reasons.

For more details visit our website: www.ceikerala.gov.in

തിരുവനന്തപുരം ചീഫ് ഇലക്ട്രിക്കൽ ഇൻസ്പെക്ടറുടെ കാര്യാലയത്തിലേക്ക് താഴെ പറയുന്ന വൈദ്യുത ഉപകരണങ്ങൾ വാങ്ങുന്നതിലേക്കായി മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ക്രമ നമ്പർ	ഉപകരണത്തിന്റെ പേരും വിശദവിവരങ്ങളും	ആവശ്യമുള്ള എണ്ണം
(1)	(2)	(3)

ഐ. എസ്.9537 പ്രകാരം ഇൻസുലേറ്റിംഗ് മെറ്റീരിയൽ കൊണ്ട് നിർമ്മിച്ച റിജിഡ് കോൺഡ്യൂട്ട് പരിശോധിക്കുന്നതിനുള്ള ഉപകരണങ്ങൾ

1 20 മില്ലി മീറ്റർ, 25 മില്ലി മീറ്റർ എന്നീ പൈപ്പുകളുടെ (കോൺഡ്യൂട്ട്) പരമാവധി ബാഹ്യവ്യാസം പരിശോധിക്കുന്നതിനുപയോഗിക്കുന്ന അളവ് തോതുകൾ (ഗേയ്ജുകൾ) 1 വീതം

ഐ. എസ്. 9537-ലെ ചിത്രം 1 ഭാഗം 3-ലെ വക്രപ്പ് 7. 1. 1. പ്രകാരമുള്ള സ്റ്റിൽ അളവ് തോതുകൾ (ഗേയ്ജുകൾ)

നിർമ്മാണത്തിലുള്ള അനുവദനീയമായ വ്യതിയാനം — 0
— -0.01 എം. എം.
അനുവദനീയമായ തേയ്മാനം — + 0.01 എം. എം.

2 20 മില്ലി മീറ്റർ, 25 മില്ലി മീറ്റർ എന്നീ പൈപ്പുകളുടെ ഏറ്റവും കുറഞ്ഞ ബാഹ്യവ്യാസം പരിശോധിക്കുന്നതിനുപയോഗിക്കുന്ന അളവ് തോതുകൾ (ഗേയ്ജുകൾ) 1 വീതം

ഐ. എസ്. 9537 വക്രപ്പ് 7. 1. 1. ഭാഗം 3-ാം ചിത്രം 2-ാം പ്രകാരമുള്ള സ്റ്റിൽ അളവ് തോതുകൾ (ഗേയ്ജുകൾ)

(1)	(2)	(3)
	നിർമ്മാണത്തിലുള്ള അനുവദനീയമായ വ്യതിയാനം	— 0 — - 0.022 എം. എം. അനുവദനീയമായ തേയ്മാനം — + 0.022 എം. എം. — 0
3	20 മില്ലി മീറ്റർ, 25 മില്ലി മീറ്റർ എന്നീ പൈപ്പുകളുടെ ഏറ്റവും കുറഞ്ഞ ആന്തരിക വ്യാസം പരിശോധിക്കുന്നതിനുപയോഗിക്കുന്ന അളവ് തോതുകൾ (ഗേയ്ജുകൾ)	1 വീതം
	ഐ. എസ്. 9537 (വകുപ്പ് 7. 2.) ഭാഗം 3-ാം ചിത്രം 3-ാം പ്രകാരം മിനുസപ്പെടുത്തിയ സ്റ്റീൽ അളവ് തോതുകൾ (ഗേയ്ജുകൾ)	
	നിർമ്മാണത്തിലുള്ള അനുവദനീയമായ വ്യതിയാനം	— + 0.05 എം. എം. — 0
	അനുവദനീയമായ തേയ്മാനം	— 0.01 എം. എം.
4	20 മില്ലി മീറ്റർ, 25 മില്ലി മീറ്റർ എന്നീ പൈപ്പുകൾ വളച്ച് ഉറപ്പിക്കുവാനുള്ള വസ്തു (ബെന്റിങ്ങ് ഫിക്സ്ചർ)	1 വീതം
	20 മില്ലി മീറ്റർ, 25 മില്ലി മീറ്റർ എന്നീ പൈപ്പുകളുടെ ബെന്റിങ്ങ് ടെസ്റ്റ് നടത്തുന്നതിനുവേണ്ടി ഐ. എസ്. 9537 ഭാഗം 3-ലെ വകുപ്പ് 9.2 ഭാഗം 3-ാം ചിത്രം 4-ാം പ്രകാരം ഉറപ്പിക്കുവാനുള്ള വസ്തുക്കൾ (ഫിക്സ്ചർ)-2 എണ്ണവും ഐ. എസ്. 9537 ചിത്രം 5 ലെ ഭാഗം 3 വകുപ്പ് 9.5.2 പ്രകാരം, ദൃഢമായും മിനുസപ്പെടുത്തിയതുമായ 2 സ്റ്റീൽ അളവ് തോതുകൾ (ഗേയ്ജുകൾ)	
	നിർമ്മാണത്തിലുള്ള അനുവദനീയമായ വ്യതിയാനം	— + 0.05 എം. എം. — 0
	അനുവദനീയമായ തേയ്മാനം	— 0.01 എം. എം.
	അക്ഷരേഖാ അളവിലെ അനുവദനീയമായ വ്യതിയാനം	— ± 0.2 എം. എം.
5	കാപ്രഷൻ ടെസ്റ്റിന് ഉപയോഗിക്കുന്ന ഉപകരണം	1
	‘കാപ്രഷൻ ടെസ്റ്റ്’ ഉപകരണത്തിന്റെ വിശദാംശങ്ങൾ ഐ. എസ്. 9537 ലെ ഭാഗം 1-ലെ വകുപ്പ് 9.3.2 ചിത്രം 1-ലും നൽകിയിട്ടുണ്ട്.	
	വിവിധതരം പൈപ്പുകളിൽ 125 ന്യൂട്ടൺ, 320 ന്യൂട്ടൺ, 750 ന്യൂട്ടൺ, 1250 ന്യൂട്ടൺ ആന്റ് 4000 ന്യൂട്ടൺ എന്നീ ബലങ്ങൾ പ്രയോഗിക്കുന്നതിനായി കാപ്രഷൻ ടെസ്റ്റ് ഉപകരണത്തിന് നിശ്ചിത പിണ്ഡം ഉണ്ടായിരിക്കേണ്ടതാണ്.	
6	20 മില്ലി മീറ്റർ, 25 മില്ലി മീറ്റർ എന്നീ പൈപ്പുകളിൽ ‘കൊളാപ്സ് ടെസ്റ്റ്’ നടത്താൻ ഉപയോഗിക്കുന്ന ഉപകരണം	1 വീതം
	ഐ. എസ്. 9537 ഭാഗം 1-ലെ വകുപ്പ് 9.5-ാം ചിത്രം 3-ഉം പ്രകാരം കൊളാപ്സ് ടെസ്റ്റ് നടത്തുന്നതിനായുള്ള ‘കൊളാപ്സ് ടെസ്റ്റ്’ സജ്ജീകരണം.	
7	ഇംപാക്ട് ടെസ്റ്റ് ഉപകരണം	
	ഐ. എസ്. 9537 ലെ ഭാഗം 1-ലെ വകുപ്പ് 9.4-ാം ചിത്രം 2-ാം പ്രകാരം ‘ഇംപാക്ട് ടെസ്റ്റ്’ നടത്തുന്നതിനുള്ള ഉപകരണം	
8	‘ബാൾ പ്രഷർ ടെസ്റ്റ്’ ഉപകരണം	
	ഐ. എസ്. 9537 ഭാഗം 3-ലെ വകുപ്പ് 10 ചിത്രം 6 പ്രകാരം ‘ബാൾ പ്രഷർ ടെസ്റ്റ്’ നടത്തുവാനുള്ള ഉപകരണം	

(1)	(2)	(3)
9	വാട്ടർ ബാത്ത്	1
	450 എം. എം. × 450 എം. എം. × 600 എം. എം. ൽ കുറയാത്ത വലിപ്പം	
	താപനിലയുടെ പരിധി — + 25 ഡിഗ്രി സെൽഷ്യസ് മുതൽ — ± 65 ഡിഗ്രി സെൽഷ്യസ് വരെ	
	താപനിലയുടെ കൃത്യത — ± 1 ശതമാനം	
	താപനിലയുടെ സമാനത — ± 1 ഡിഗ്രി സെൽഷ്യസ്	
	താപനിലയുടെ റസലുഷൻ — 0.1 ഡിഗ്രി സെൽഷ്യസ്	
	പവർ — 230 വോൾട്ട് എ. സി./50 ഹെർട്സ് മെയിൻസിൽ പ്രവർത്തിക്കുന്നതായിരിക്കണം.	
	ടൈമർ — 600 സെക്കൻഡ് മുതൽ ഉണ്ടായിരിക്കണം.	
	ഇൻഡിക്കേറ്റർ — മെയിൻ ഓൺ/ഓഫ് ഇൻഡിക്കേറ്റർ, ഫാൾട്ട് ഇൻഡിക്കേറ്റർ, ടെമ്പറേച്ചർ ഇൻഡിക്കേറ്റർ മുതലായവയും ഡിജിറ്റൽ ടെമ്പറേച്ചർ ഇൻഡിക്കേറ്ററുള്ള സെൻസറും നൽകിയിരിക്കണം.	
	സീലിംഗ് — താപനില നഷ്ടപ്പെടാതിരിക്കാൻ ഗ്ലാസ്സ് വ്യൂൾ കൊണ്ട് സീൽ ചെയ്ത ഇരുട്ടിത്തി ഉപയോഗിക്കണം.	
	സ്റ്റീൻ കൂടി പ്രസ്തുത ഇനത്തിൽ ഉൾപ്പെടുത്തിയിരിക്കണം.	
	സ്റ്റീൻ — വാട്ടർ ബാത്തിന്റെ സ്റ്റേയിൻലസ്സ് അറ ഇരുട്ടിത്തി ഉള്ളതായിരിക്കണം. അകത്തെ ഭിത്തി സ്റ്റേയിൻലസ്സ് സ്റ്റീൽ കൊണ്ടും പുറത്തെ ഭിത്തി പൗഡർകോട്ടഡ് പെയ്ന്റ് ചെയ്ത മൈൽഡ് സ്റ്റീൽ അല്ലെങ്കിൽ സ്റ്റൗ ഇനാമിൻഡ് മൈൽഡ് സ്റ്റീൽ കൊണ്ടും നിർമ്മിച്ചതായിരിക്കണം.	
	വാട്ടർ ബാത്ത് അടയ്ക്കാൻ ഒരു അടപ്പും നൽകിയിരിക്കണം. താപനില നിയന്ത്രിക്കാനായി ഡിജിറ്റൽ താപനില ഇന്റിക്കേറ്ററിന്റെ കൂടെ ഒരു കൺട്രോളറും നൽകിയിരിക്കണം.	
10	ബർണർ	1
	ഐ. എസ്. 9537 ഭാഗം 1-ലെ വകുപ്പ് 11 പ്രകാരം കോൺഡ്യൂട്ട് (പൈപ്പ്) കത്തുന്നതിന്റെ പ്രതിരോധം പരിശോധിക്കാൻ അനുയോജ്യമായ ബർണറും അനുബന്ധ ഉപകരണങ്ങളും ഉണ്ടായിരിക്കണം. (ഗ്യാസ് ഒഴികെ)	
11	കെമിക്കൽ ബാലൻസ്	1
	120 ഗ്രാം വരെ ഭാരമുള്ളതാക്കി കഴിയുന്നതും 0.001 ഗ്രാമിൽ (1 മില്ലി ഗ്രാം) കുറയാതെ അക്യൂറസിയുള്ള മൈക്രോ കൺട്രോളർ സാങ്കേതികവിദ്യ ഉപയോഗപ്പെടുത്തുന്ന ഇലക്ട്രോണിക് വെയിംഗ് ബാലൻസ് ആയിരിക്കണം. ഇതിന്റെ ഇന്റേണൽ റെസൊല്യൂഷൻ ഒരു ലക്ഷമോ അതിലധികമോ ആയിരിക്കണം. 230 വോൾട്ട് ± 10 ശതമാനം എ.സി. 50 ഹെർട്സിൽ പ്രവർത്തിക്കുന്ന ബാലൻസ് ആയിരിക്കണം. 12.5 മില്ലി മീറ്റർ എൽ.ഇ.ഡി./എൽ.സി.ഡി. ഡിസ്പ്ലേ ആയിരിക്കണം. 10 ഡിഗ്രി സെൽഷ്യസ് മുതൽ 50 ഡിഗ്രി സെൽഷ്യസ് വരെ താപനിലയിൽ തൃപ്തികരമായി പ്രവർത്തിക്കുന്ന ബാലൻസ് ആയിരിക്കണം. ഒരു 6 വോൾട്ട്/4 എ.എച്ച്. റീചാർജ്ജബിൾ ഡ്രൈ ബാറ്ററിയും വിതരണം ചെയ്യേണ്ടതാണ്.	

ദർഘാസ് അടക്കം ചെയ്തിട്ടുള്ള കവറിന് പുറത്ത് “വൈദ്യുത ഉപകരണങ്ങൾ നൽകുന്നതിനുള്ള ദർഘാസ് നമ്പർ 1/2009-10/സി. ഇ. ഐ.” എന്ന് വ്യക്തമായി രേഖപ്പെടുത്തേണ്ടതും ചീഫ് ഇലക്ട്രിക്കൽ ഇൻസ്പെക്ടർ, ഹൗസിംഗ് ബോർഡ് ബിൽഡിംഗ്, ശാന്തിനഗർ, തിരുവനന്തപുരം-1 എന്ന വിലാസത്തിൽ അയച്ചുതരേണ്ടതുമാണ്.

അടങ്കൽ തുക—രൂപ 6,00,000 ലക്ഷം (പാർക്കിംഗ് ഇൻഷുറൻസ് ഫ്രെറ്റ് ചാർജും എല്ലാ നികുതികളും ഉൾപ്പെടെ.)

നിരതദ്രവ്യം—കാട്ടു ചെയ്യുന്ന തുകയുടെ 1 %.

ദർഘാസ് ഫോറത്തിന്റെ വില :

അസ്സൽ—രൂപ 1,200 + 12.5% മു. വ. നി.

ഡ്യൂപ്ലിക്കേറ്റ്—രൂപ 600 + 12.5% മു. വ. നി.

ദർഘാസ് ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—31-8-2009, 12 മണിവരെ.

ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—31-8-2009, വൈകിട്ട് 3 മണിവരെ.

ദർഘാസുകൾ തുറക്കുന്ന തീയതിയും സമയവും—31-8-2009 വൈകിട്ട് 3.30 മണിവരെ.

ദർഘാസുകൾ നൽകുവാൻ താല്പര്യമുള്ളവർ തിരുവനന്തപുരത്തുള്ള ചീഫ് ഇലക്ട്രിക്കൽ ഇൻസ്പെക്ടറുടെ ഓഫീസിൽ നിന്നും ദർഘാസ് ഫോറം വാങ്ങി അവയിൽ തന്നെ ദർഘാസുകൾ നൽകേണ്ടതാണ്. ദർഘാസ് ഫോറം എല്ലാ പ്രവൃത്തി ദിവസവും വൈകിട്ട് 3 മണിവരെ ചീഫ് ഇലക്ട്രിക്കൽ ഇൻസ്പെക്ടറുടെ ഓഫീസിൽ ലഭ്യമാണ്. ദർഘാസ് ഫോറത്തിലുള്ള അപേക്ഷയോടൊപ്പം ഫോറത്തിന്റെ വില പണമായോ മണിദാർശ്യം ആയോ നൽകേണ്ടതാണ്. ഈ തുക ഒരു കാരണവശാലും തിരികെ ലഭിക്കുന്നതല്ല. വി.പി.പി./ഐ.പി.ഒ./ഡി.ഡി./പോസ്റ്റൽ സ്റ്റാമ്പ് എന്നിവ സ്വീകാര്യമല്ല. ദർഘാസ് ഫോറം കൈമാറാൻ പാടുള്ളതല്ല. നിശ്ചിത സമയത്തിനുശേഷം ലഭിക്കുന്ന ദർഘാസുകൾ സ്വീകരിക്കപ്പെടുന്നതല്ല. തപാൽ മുഖാന്തിരമുണ്ടാകുന്ന കാലതാമസത്തിന് ഈ വകുപ്പ് ഉത്തരവാദിയായിരിക്കുന്നതല്ല. ലിഖിത കാരണമില്ലാതെ ഏതൊരു ദർഘാസും സ്വീകരിക്കുവാനും നിരസിക്കുവാനും താഴെ ഒപ്പിട്ടിരിക്കുന്ന വ്യക്തിക്ക് അധികാരം ഉണ്ടായിരിക്കുന്നതാണ്.

(2)

[2/2009-10/CEI]

No. G1-10794/2009/CEI.

22nd July 2009.

Sealed tenders are invited by the undersigned for the supply of the following instruments/equipments to the Office of the Electrical Inspector, Meter Testing and Standards Laboratory, Thiruvananthapuram.

<i>Name of Instrument/Equipment with Specification</i>	<i>Quantity required (Nos.)</i>
(1)	(2)
3 Phase Phantom Load	1
Rugged Multi-Amp Model 3 Phase Phantom Loads operating from a single phase source suitable for testing	

(1)

(2)

single-phase and poly phase watt-hour meters at 50 and 100% power factor.

The unit shall be suitable for continuous adjustment of the load current. Shall have close control of the output for different load circuit impedances or in the event of variations in the source voltage.

The unit shall be rated for continuous duty.

Input Primary Voltages

240 Volt, 1φ, 50 Hz fused input circuit

Output Current Ranges (switch-selected)

Full Load—0 to 2.5/5/15/50 A at 0.5 pf and upf.

Light Load—0 to 0.25/0.5/1.5/5 A at upf.

Accessories

Suitable Current leads and Voltage leads sufficient to test 3 Phase energy meters and instruction manual shall be supplied along with the unit.

Tenders should be superscribed as “Tender No. 2/2009-10/CEI for the Supply of Electrical Instruments/Equipments” addressed to the Chief Electrical Inspector, Housing Board Buildings, Santhi Nagar, Thiruvananthapuram-1.

Total Estimated Cost—Rs. 5,20,000 (Including Paking, Freight charge, Insurance and Inclusive of all taxes.)

EMD—1% of total quoted value.

Cost of tender form :

Original—Rs. 1,100 + 12.5% VAT.

Duplicate—Rs. 550 + 12.5% VAT.

Last date and time of sale of tender form—31-8-2009, 12 Noon.

Last date and time of receipt of tender form—31-8-2009, 3p.m.

Opening date and time of tender form—31-8-2009 at 3.30 p.m.

Period of firmness will be 1 month from the date of supply order.

Intending tenderers may on application to the Chief Electrical Inspector, Thiruvananthapuram in between 10.15 a.m. and 3 p.m. on any working days can obtain the requisite forms on which tenders should be submitted. Application for tender forms should be accompanied by the cost of the tender forms also which under no circumstances will be refunded. The cost will be accepted by cash or money order only. V.P.P., I.P.O./D.D./Postal Stamps are not accepted. Late tenders will

not be accepted. The department is not responsible for postal delays. The undersigned has the power to accept/reject the tender without assigning any reasons.

For more details visit our website: www.ceikerala.gov.in

തിരുവനന്തപുരം ചീഫ് ഇലക്ട്രിക്കൽ ഇൻസ്പെക്ടറുടെ കാര്യാലയത്തിലേക്ക് താഴെ പറയുന്ന വൈദ്യുത ഉപകരണങ്ങൾ വാങ്ങുന്നതിലേയ്ക്കായി മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചു കൊള്ളുന്നു.

ഉപകരണത്തിന്റെ പേരും വിശദവിവരങ്ങളും	എണ്ണം
ത്രീ ഫേസ് ഫാന്റം ലോഡ്	1
സിംഗിൾ ഫേസ്, പോളിഫേസ് വാട്ട് അവർ മീറ്ററുകൾ അൻപതും നൂറും ശതമാനം പവർ ഫാക്ടറിൽ ടെസ്റ്റ് ചെയ്യുന്നതിനായി സിംഗിൾ ഫേസ് സപ്ലൈയിൽ പ്രവർത്തിക്കുന്ന ത്രീഫേസ് ഫാന്റം ലോഡിന്റെ തുല്യതയില്ലാത്ത (റഗ്ഡ്) ആയ മൾട്ടി ആംപിയർ മോഡൽ	
ലോഡ് കറന്റിന്റെ തുടർച്ചയായ ക്രമീകരണത്തിന് അനുയോജ്യമായിരിക്കണം മേൽപ്പറഞ്ഞ ഇനം.	
ലോഡ് സർക്യൂട്ട് ഇംപിഡൻസുകൾക്കും സോഴ്സ് വോൾട്ടേജിലെ വ്യതിയാനങ്ങൾക്കും അനുസൃതമായി ഔട്ട്പുട്ടിൽ പൂർണ്ണനിയന്ത്രണം ഉണ്ടായിരിക്കണം.	
പ്രസ്തുത ഇനം കണ്ടിന്യൂസ് ഡ്യൂട്ടിക്ക് അനുയോജ്യമായിരിക്കണം.	
ഇൻപുട്ട് പ്രൈമറി വോൾട്ട്	
240 വോൾട്ട്, സിംഗിൾ ഫേസ്, 50 ഹെർട്ട്സ്, ഫ്യൂസ്ഡ് ഇൻപുട്ട് സർക്യൂട്ട്	
ഔട്ട്പുട്ട് കറന്റിന്റെ പരിധി (സ്വിച്ച് ഉപയോഗിച്ച് തിരഞ്ഞെടുക്കുന്നത്)	
ഫുൾലോഡ്—0.5 പവർ ഫാക്ടറിലും യൂണിറ്റി പവർ ഫാക്ടറിലും	
0 മുതൽ 2.5/5/15/50 ആംപിയർ വരെ	
ലൈറ്റ്ലോഡ്—യൂണിറ്റി പവർഫാക്ടറിൽ പൂജ്യം മുതൽ 0.25/0.5/1.5/5 ആംപിയർ വരെ	
അനുബന്ധ ഉപകരണങ്ങൾ	
3 ഫേസ് എനർജി മീറ്റർ ടെസ്റ്റ് ചെയ്യുവാൻ അനുയോജ്യമായ കറന്റ് ലീഡും വോൾട്ടേജ് ലീഡും ഇതിനോടൊപ്പം ഉണ്ടായിരിക്കണം. നിർദ്ദേശങ്ങൾ അടങ്ങിയ സംക്ഷിപ്തഗ്രന്ഥം കൂടി നൽകേണ്ടതാണ്.	

ദർഘാസ് അടക്കം ചെയ്തിട്ടുള്ള കവറിന് പുറത്ത് “വൈദ്യുത ഉപകരണങ്ങൾ നൽകുന്നതിനുള്ള ദർഘാസ് നമ്പർ 2/2009-10/സി. ഇ. ഐ.” എന്ന് വ്യക്തമായി രേഖപ്പെടുത്തേണ്ടതും ചീഫ് ഇലക്ട്രിക്കൽ ഇൻസ്പെക്ടർ, ഹൗസിംഗ് ബോർഡ് ബിൽഡിംഗ്, ശാന്തിനഗർ, തിരുവനന്തപുരം-695 001 എന്ന വിലാസത്തിൽ അയച്ചുതരേണ്ടതുമാണ്.

അടങ്കൽ തുക—രൂപ 5,20,000 (പായ്ക്കിംഗ്, ഇൻഷുറൻസ് ഫ്രൈറ്റ് ചാർജും എല്ലാ നികുതികളും ഉൾപ്പെടെ.)

നിരതദ്രവ്യം—കാട്ടു ചെയ്യുന്ന തുകയുടെ 1 %.

ദർഘാസ് ഫോറത്തിന്റെ വില :

അസ്സൽ—രൂപ 1,100 + 12.5% മ്യൂ. വ. നി.

ഡ്യൂപ്ലിക്കേറ്റ്—രൂപ 550 + 12.5% മ്യൂ. വ. നി.

ദർഘാസ് ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—31-8-2009 ഉച്ചയ്ക്ക് 12 മണിവരെ.

ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—31-8-2009 വൈകിട്ട് 3 മണിവരെ.

ദർഘാസുകൾ തുറക്കുന്ന തീയതിയും സമയവും—31-8-2009 വൈകിട്ട് 3.30 മണി.

ദർഘാസുകൾ നൽകുവാൻ താല്പര്യമുള്ള വർ തിരുവനന്തപുരത്തുള്ള ചീഫ് ഇലക്ട്രിക്കൽ ഇൻസ്പെക്ടറുടെ ഓഫീസിൽ നിന്നും ദർഘാസ് ഫോറം വാങ്ങി അവയിൽ തന്നെ ദർഘാസുകൾ നൽകേണ്ടതാണ്. ദർഘാസ് ഫോറം എല്ലാ പ്രവൃത്തി ദിവസവും വൈകിട്ട് 3 മണിവരെ ചീഫ് ഇലക്ട്രിക്കൽ ഇൻസ്പെക്ടറുടെ ഓഫീസിൽ ലഭ്യമാണ്. ദർഘാസ് ഫോറത്തിലുള്ള അപേക്ഷയോടൊപ്പം ഫോറത്തിന്റെ വില പണമായോ മണിയോർഡർ ആയോ നൽകേണ്ടതാണ്. ഈ തുക ഒരു കാരണവശാലും തിരികെ ലഭിക്കുന്നതല്ല. വി. പി. പി./ഐ. പി. ഒ./ഡി. ഡി./പോസ്റ്റൽ സ്റ്റാമ്പ് എന്നിവ സ്വീകാര്യമല്ല. ദർഘാസ് ഫോറം കൈമാറാൻ പാടുള്ളതല്ല. നിശ്ചിത സമയത്തിനു ശേഷം ലഭിക്കുന്ന ദർഘാസുകൾ സ്വീകരിക്കപ്പെടുന്നതല്ല. തപാൽ മുഖാന്തിരമുണ്ടാകുന്ന കാലതാമസത്തിന് ഈ വകുപ്പ് ഉത്തരവാദിയായിരിക്കുന്നതല്ല. ലിഖിത കാരണമില്ലാതെ ഏതൊരു ദർഘാസും സ്വീകരിക്കുവാനും നിരസിക്കുവാനും താഴെ ഒപ്പിട്ടിരിക്കുന്ന വ്യക്തിക്ക് അധികാരം ഉണ്ടായിരിക്കുന്നതാണ്.

(3)

[3/2009-10/CEI]

No. G1-10794/2009/CEI.

22nd July 2009.

Sealed tenders are invited by the undersigned for the supply of the following instruments/equipments to the Office of the Electrical Inspector, Meter Testing and Standards Laboratory, Thiruvananthapuram.

Name of Instrument/Equipment with Specification	Quantity required (Nos.)
Cold Chamber	1
Cold chamber, inside made of stainless steel size—Not less than 300 m.m. x 450 m.m.x 300 m.m. Temperature Range shall be from ambient to -10°C to +80° C Temperature Accuracy shall not be worse than— ± 1°C Shall be provided with Digital Control System, built-in refrigeration and heating system to keep the temperature at 27°C for 10 hrs. Digital Time totalizer shall be provided	

Tenders should be superscribed as “Tender No. 3/2009-10/CEI for the Supply of Electrical Instruments/ Equipments” addressed to the Chief Electrical Inspector, Housing Board Buildings, Santhi Nagar, Thiruvananthapuram-1.

Total Estimated Cost—Rs. 2,00,000 (Including Paking, Frieght charge, Insurance and Inclusive of all taxes.)

EMD—1% of total quoted value.

Cost of tender form :

Original—Rs. 400 + 12.5% VAT.

Duplicate—Rs. 200 + 12.5% VAT.

Last date and time of sale of tender form—31-8-2009, 12 Noon.

Last date and time of receipt of tender form—31-8-2009, 3p.m.

Opening date and time of tender form—31-8-2009 at 3.30 p. m.

Period of firmness will be 1 month from the date of supply order.

Intending tenderers may submit an application to the Chief Electrical Inspector, Thiruvananthapuram in between 10.15 a.m. and 3 p.m. on any working days can obtain the requisite forms on which tenders should be submitted. Application for tender forms should be accompanied by the cost of the tender forms also which under no circumstances will be refunded. The cost will be accepted by cash or money order only. V.P.P./I.P.O./D.D./Postal Stamps are not accepted. Late tenders will not be accepted. The department is not responsible for postal delays. The undersigned has the power to accept/reject the tender without assigning any reasons.

For more details visit our website: www.ceikerala.gov.in.

തിരുവനന്തപുരം ചീഫ് ഇലക്ട്രിക്കൽ ഇൻസ്പെക്ടറുടെ കാര്യാലയത്തിലേക്ക് താഴെ പറയുന്ന വൈദ്യുത ഉപകരണങ്ങൾ വാങ്ങുന്നതിലേക്കായി മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ഉപകരണത്തിന്റെ പേരും വിശദവിവരങ്ങളും	എണ്ണം
(1)	(2)
കോൾഡ് ചോബർ	
കോൾഡ് ചോബറിന്റെ ഉൾഭാഗം സ്റ്റേയിൻലസ് സ്റ്റീൽകൊണ്ട് നിർമ്മിതമായിരിക്കണം.	1
വലുപ്പം — 300 എം.എം. × 450 എം.എം. × 300 എം. എം.-ൽ കുറയാതെ	
താപനിലയുടെ പരിധി-ആംപിയന്റ് -10ഡിഗ്രി സെൽഷ്യസ് മുതൽ + 80 ഡിഗ്രി സെൽഷ്യസ് വരെ	

(1)	(2)
താപനിലയുടെ കൃത്യത ± 1 ഡിഗ്രി സെൽഷ്യസിലും താഴെയാകുവാൻ പാടുള്ളതല്ല.	
താപനില പത്ത് മണിക്കൂർ സമയത്തേക്ക് 27 ഡിഗ്രി സെൽഷ്യസിൽതന്നെ നിലനിർത്താനായി ഒരു ഡിജിറ്റൽ കൺട്രോൾ സിസ്റ്റവും ഉപകരണ സമുച്ചയത്തിന്റെ ഭാഗമായി രൂപപ്പെടുത്തിയ ശീതീകരണിയും ചൂടാക്കി സൂക്ഷിക്കാനുള്ള സംവിധാനവും നൽകേണ്ടതാണ്.	
ഒരു ഡിജിറ്റൽ ടൈം ടോട്ടലൈസറും നൽകേണ്ടതാണ്.	

ദർഘാസ് അടക്കം ചെയ്തിട്ടുള്ള കവറിന് പുറത്ത് “വൈദ്യുത ഉപകരണങ്ങൾ നൽകുന്നതിനുള്ള ദർഘാസ് നമ്പർ 3/2009-10/സി. ഇ. ഐ.” എന്ന് വ്യക്തമായി രേഖപ്പെടുത്തേണ്ടതും ചീഫ് ഇലക്ട്രിക്കൽ ഇൻസ്പെക്ടർ, ഹൗസിംഗ് ബോർഡ് ബിൽഡിംഗ്, ശാന്തിനഗർ, തിരുവനന്തപുരം-695 001 എന്ന വിലാസത്തിൽ അയച്ചുതരേണ്ടതുമാണ്.

അടങ്കൽ തുക—രൂപ 2,00,000 (പായ്ക്കിംഗ്, ഇൻഷുറൻസും ഫ്രൈറ്റ് ചാർജും എല്ലാ നികുതികളും ഉൾപ്പെടെ.)

നിരതദ്രവ്യം—കാട്ടു ചെയ്യുന്ന തുകയുടെ 1 %.

ദർഘാസ് ഫോറത്തിന്റെ വില :

അസ്സൽ—രൂപ 400 + 12.5% മു. വ. നി.

ഡ്യൂപ്ലിക്കേറ്റ്—രൂപ 200+ 12.5% മു. വ. നി.

ദർഘാസ് ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—31-8-2009 ഉച്ചയ്ക്ക് 12 മണിവരെ.

ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—31-8-2009 വൈകിട്ട് 3 മണിവരെ.

ദർഘാസുകൾ തുറക്കുന്ന തീയതിയും സമയവും—31-8-2009 വൈകിട്ട് 3.30 മണി.

ദർഘാസുകൾ നൽകുവാൻ താല്പര്യമുള്ളവർ തിരുവനന്തപുരത്തുള്ള ചീഫ് ഇലക്ട്രിക്കൽ ഇൻസ്പെക്ടറുടെ ഓഫീസിൽ നിന്നും ദർഘാസ് ഫോറം വാങ്ങി അവയിൽ തന്നെ ദർഘാസുകൾ നൽകേണ്ടതാണ്. ദർഘാസ് ഫോറം എല്ലാ പ്രവൃത്തി ദിവസവും വൈകിട്ട് 3 മണിവരെ ചീഫ് ഇലക്ട്രിക്കൽ ഇൻസ്പെക്ടറുടെ ഓഫീസിൽ ലഭ്യമാണ്. ദർഘാസ് ഫോറത്തിലുള്ള അപേക്ഷയോടൊപ്പം ഫോറത്തിന്റെ വില പണമായോ മണിയോർഡർ ആയോ നൽകേണ്ടതാണ്. ഈ തുക ഒരു കാരണവശാലും തിരികെ ലഭിക്കുന്നതല്ല. വി. പി. പി./ഐ. പി. ഒ./ഡി. ഡി./പോസ്റ്റൽ സ്റ്റാമ്പ് എന്നിവ സ്വീകാര്യമല്ല. ദർഘാസ് ഫോറം കൈമാറാൻ പാടുള്ളതല്ല. നിശ്ചിത സമയത്തിനുശേഷം ലഭിക്കുന്ന ദർഘാസുകൾ സ്വീകരിക്കപ്പെടുന്നതല്ല. തപാൽ മുഖാന്തിരമുണ്ടാകുന്ന കാലതാമസത്തിന് ഈ വകുപ്പ് ഉത്തരവാദിയായിരിക്കുന്നതല്ല. ലിഖിത കാരണമില്ലാതെ ഏതൊരു ദർഘാസും സ്വീകരിക്കുവാനും നിരസിക്കുവാനും താഴെ ഒപ്പിട്ടിരിക്കുന്ന വ്യക്തിക്ക് അധികാരം ഉണ്ടായിരിക്കുന്നതാണ്.

Office of the
Chief Electrical Inspector,
Thiruvananthapuram-1.

(Sd.)
Chief Electrical Inspector.

Fisheries Department

ദർഘാസ് പരസ്യം

നമ്പർ എ/382/2009.

2009 ജൂലൈ 22.

2009-10 സാമ്പത്തിക വർഷത്തിൽ മലമ്പുഴ ദേശീയ മത്സ്യ വിത്തുൽപ്പാദന കേന്ദ്രത്തിലേക്ക് ആവശ്യമായ താഴെ പറയുന്ന സാധനങ്ങൾ വിതരണം ചെയ്യുവാൻ താല്പര്യമുള്ള വ്യക്തികളിൽ നിന്നും/സ്ഥാപനങ്ങളിൽ നിന്നും മുദ്രവെച്ച ടെണ്ടറുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

പട്ടിക

ക്രമ നമ്പർ	സാധനത്തിന്റെ പേര്	അളവ്
1	സ്കാംബി ബുസ്റ്റർ ഫീഡ്	3 ടൺ
2	കടല പിണ്ണാക്ക്	3 ടൺ
3	പോളിത്തീൻ ബാഗ് (HDFE) എച്ച്. എം. 200 ഗേജ് (ഫുഡ് ഗ്രേഡ് വെർജിൻ) 18" X 28"	170 Kg.
4	അരി തവിട്	3 ടൺ
5	ബ്രൂഡ് സ്റ്റോക്ക്	275 Kg.

ടെണ്ടർ ഫോറത്തിന്റെ വില (നികുതിയടക്കം ക്രമനമ്പർ 1-ന് രൂപ 400 + വാറ്റ്, മറ്റുള്ളവയ്ക്ക്—രൂപ 150 + വാറ്റ്.

ടെണ്ടർ ഫോറത്തിന്റെ വിലപന അവസാനിക്കുന്ന തീയതിയും സമയവും—26-8-2009, 12 മണി

ടെണ്ടർ തുറക്കുന്ന തീയതിയും സമയവും—26-8-2009, 3 മണി മുതൽ 3.30 മണി വരെ.

മുകളിൽ പട്ടികയിൽ കാണിച്ചിട്ടുള്ള സാധനങ്ങൾ സഞ്ചൈ ചെയ്യുന്നതിന് പ്രത്യേകം ടെണ്ടറുകൾ സമർപ്പിക്കേണ്ടതാണ്. ടെണ്ടർ സമർപ്പിക്കുന്ന കവറിനു മുകളിൽ സഞ്ചൈ ചെയ്യാനുദ്ദേശിക്കുന്ന സാധനത്തിന്റെ പേര്, ടെണ്ടർ നമ്പർ എന്നിവ രേഖപ്പെടുത്തേണ്ടതാണ്. മുദ്ര വെച്ച ടെണ്ടറുകൾ പട്ടികയിൽ സൂചിപ്പിച്ച നിശ്ചിത സമയത്തിനുള്ളിൽ ഫിഷറീസ് ഡെപ്യൂട്ടി ഡയറക്ടർ, മലമ്പുഴ ഡാം പി. ഒ., പാലക്കാട് 678 651 എന്ന വിലാസത്തിൽ അയച്ചുതരേണ്ടതാണ്. വൈകിക്കിട്ടുന്ന ടെണ്ടറുകൾ പരിഗണിക്കുന്നതല്ല. ലഭ്യമായ ടെണ്ടറുകൾ നിശ്ചിത സമയത്ത് ഹാജരായവരുടെ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്.

സ്കാംബി ബുസ്റ്റർ ഫീഡ്, കടലപ്പിണ്ണാക്ക്, അരി തവിട്, പോളിത്തീൻ ബാഗ് എന്നിവയുടെ ടെണ്ടറുകളോടൊപ്പം സാമ്പിളുകൾ വെയ്ക്കേണ്ടതാണ്. സാമ്പിൾ ഇല്ലാത്തവ നിരസിക്കുന്നതാണ്. ടെണ്ടറിനോടൊപ്പം സഞ്ചൈ ചെയ്യാനുദ്ദേശിക്കുന്ന സാധനത്തിന്റെ മൊത്തവിലയുടെ 2.5% തുക നിരതദ്രവ്യം ഫിഷറീസ് ഡെപ്യൂട്ടി ഡയറക്ടർ, മലമ്പുഴ, പാലക്കാട് എന്ന പേരിൽ ദേശസാൽകൃത ബാങ്കുകളിൽ നിന്നും എടുത്ത ഡിമാന്റ് ഡ്രാഫ്റ്റ് വെയ്ക്കേണ്ടതാണ്. നിരതദ്രവ്യം ഇല്ലാത്ത ടെണ്ടറുകൾ നിരസിക്കുന്നതാണ്. സഞ്ചൈ ചെയ്യുന്നതിന് ആവശ്യമായ സമയം ടെണ്ടറിൽ രേഖപ്പെടുത്തേണ്ടതാണ്. സഞ്ചൈ ചെയ്യുന്ന സാധനങ്ങൾ സ്വന്തം ചിലവിൽ മലമ്പുഴ ദേശീയ മത്സ്യ വിത്തുൽപ്പാദന കേന്ദ്രത്തിൽ എത്തിച്ചു തരേണ്ടതാണ്.

യാതൊരു കാരണവശാലും ടെണ്ടർ ഫോറത്തിന്റെ വില തിരിച്ചു നൽകുന്നതല്ല. യാതൊരു കാരണവും കൂടാതെ ടെണ്ടറുകൾ സ്വീകരിക്കുന്നതിനും നിരസിക്കുന്നതിനുമുള്ള പൂർണ്ണ അധികാരം താഴെ ഒപ്പിട്ട ഉദ്യോഗസ്ഥനിൽ നിക്ഷിപ്തമാണ്.

മറ്റ് സർക്കാർ ടെണ്ടറുകൾക്ക് ബാധകമായ എല്ലാ നിയമ വ്യവസ്ഥകളും ഇതിനും ബാധകമായിരിക്കും. ടെണ്ടർ സംബന്ധിച്ച് കൂടുതൽ വിവരങ്ങൾക്കും ടെണ്ടർ ഫോറത്തിനും പ്രവൃത്തി ദിവസങ്ങളിൽ ഈ ആഫീസുമായി ബന്ധപ്പെടേണ്ടതാണ്. ടെണ്ടർ ഫോറത്തിന്റെ വിൽപ്പന ടെണ്ടറുകൾ സമർപ്പിക്കുന്നതിനായി നിശ്ചയിച്ച തീയതിയിൽ ഉച്ചയ്ക്ക് 12 മണിവരെ സമയം ഉണ്ടായിരിക്കുന്നതാണ്.

(ഒപ്പ്)

ഫിഷറീസ് ഡെപ്യൂട്ടി
ഡയറക്ടറുടെ കാര്യാലയം,
മലമ്പുഴ.

ഫിഷറീസ് ഡെപ്യൂട്ടി
ഡയറക്ടർ.

Forest Department

TENDER NOTICE

No. PF (3) 107/2009.

30th July 2009.

Invites tenders in sealed envelopes for the supply of following articles from reputed Manufacturers/Distributors/Suppliers to Periyar Tiger Reserve, Thekkady.

SCHEDULE

Item No.	Name with Quantity (in Nos.)
1	Desk top Computer—1
2	Lap Top —1
3	Pocket Digital Assistants (PDAs)—2
4	Inverter with Battery—1
5	Generator—1
6	Outboard Marine Engine 2-HP—2
7	LCD projector—1

Approximate Rate—Rs. 3.30 Lakhs

Last date for quotation— 14-9-2009

For more details and specifications can be had from:

1. www.periyartigerreserve.org
2. www.periyarfoundation.org

Office of the Assistant Field Director,
Periyar Tiger Reserve,
Thekkady.

(Sd.)
Assistant Field Director.

Homoeopathy Department**SHORT TENDER NOTICE**

No. 1948/A2/2009/GHMCH.

10th July 2009.

Sealed competitive tenders are invited to supply of various Lab. Chemicals for the use of clinical lab in Government Homoeo Medical College Hospital, Calicut-10 through running contract basis. The list of chemicals shall be obtained along with the tender form. The tender forms can be obtained from the office of the undersigned on request.

The tenders shall be superscribed "Tender for the supply of Lab. Chemicals" and addressed to the Superintendent Government Homoeopathic Medical College Hospital, Karaparamba, Calicut-10. The last date for receipt of tender is at 11.30 a. m. on 31-8-2009. Late tenders will not be considered. Received tenders will be opened at 12 Noon on the same day in presence of such of the tenderers or their authorised representatives who may be present at that time. Estimate amount Rs. 2.50 lakhs and EMD Rs. 2,500.

Intending tenderers may on application to the Superintendent, Government Homoeo Medical College Hospital, Calicut-10 will obtain the requisite tender forms on which the tender should be submitted. Application for tender form should be accompanied by a cash remittance of Rs. 450 (Inclusive ST) Which is the price fixed for a form which is not refundable under any circumstances. Sale of tender form will be closed at 3 p. m. on 29-8-2009 (24-8-2009 by Post). The tender forms should be obtained on direct payment or MO only on working days. Those who require tender forms by post should send an additional amount of Rs. 50 towards postage charges. Duplicate tender forms if required will be issued at Rs. 225 per copy.

A Demand Draft for an amount of one percentage of the total cost of items as EMD. Specification also to be attached with tender. An agreement in the prescribed form executed and signed in Kerala Government Stamp Paper worth Rs. 50 should also be submitted along with tender.

The tender without the required EMD, agreement will be summarily be rejected.

Any additional information required can be had from the hospital office of the undersigned during the working hours.

Items should be supplied on demand of this office only.

കോഴിക്കോട് ഗവൺമെന്റ് ഹോമിയോ മെഡിക്കൽ കോളേജ് ആശുപത്രിയിലെ ക്ലിനിക്കൽ ലാബിലേക്കാവശ്യമായ വിവിധതരത്തിലുള്ള കെമിക്കലുകൾ റണ്ണിംഗ് കോൺട്രാക്ട് മുഖേന വിതരണം ചെയ്യുവാൻ തയ്യാറുള്ളവരിൽ നിന്നും സീലുവെച്ച മത്സര സ്വഭാവമുള്ള ദർഘാസുകൾ ക്ഷണിച്ചു കൊള്ളുന്നു. വിതരണം ചെയ്യേണ്ട ലാബ് കെമിക്കലുകളുടെ ലിസ്റ്റ് ടെണ്ടർ ഫോറത്തോടൊപ്പം ലഭിക്കുന്നതാണ്. അടങ്കൽ തുക 2.50 ലക്ഷം രൂപയും നിരതദ്രവ്യം 2,500 രൂപയും ആണ്.

ദർഘാസുകൾ സമർപ്പിക്കുന്ന കവറിനുപുറത്ത് "ലാബ് കെമിക്കലുകൾ വിതരണം ചെയ്യുന്നതിനുള്ള ദർഘാസ്" എന്ന് രേഖപ്പെടുത്തേണ്ടതും സുപ്രണ്ട്, ഗവൺമെന്റ് ഹോമിയോ മെഡിക്കൽ കോളേജ് ആശുപത്രി, കാരപ്പറമ്പ്, കോഴിക്കോട്-10 എന്ന വിലാസത്തിൽ 31-8-2009-ന് 11.30 മണിക്ക് മുമ്പായി ലഭിച്ചിരിക്കേണ്ടതുമാണ്. വൈകി ലഭിക്കുന്ന ദർഘാസുകൾ യാതൊരു കാരണവശാലും പരിഗണിക്കുന്നതല്ല. ലഭിച്ച ദർഘാസുകൾ അന്നേ ദിവസം 12 മണിക്ക് ദർഘാസു കാരന്റേയോ അവർ ചുമതലപ്പെടുത്തിയ വ്യക്തിയുടെയോ സാന്നിധ്യത്തിൽ തുറന്ന് പരിശോധിക്കുന്നതും ഏറ്റവും കുറഞ്ഞ നിരക്കും, ഗുണമേന്മ, ഉൽപ്പന്നം രേഖപ്പെടുത്തിയതുമായ ദർഘാസുകൾ അംഗീകരിക്കുന്നതുമാണ്.

ദർഘാസിന്റെയുടെ മൊത്തം തുകയുടെ ഒരു ശതമാനം വരുന്ന തുകയ്ക്കുള്ള ഡിമാന്റ് ഡ്രാഫ്റ്റ് നിരതദ്രവ്യമായും കേരള സർക്കാരിന്റെ 50 രൂപ മുദ്ര പത്രത്തിൽ നിശ്ചിത മാതൃകയിലുള്ള സമ്മതപത്രവും ഉള്ളടക്കം ചെയ്യേണ്ടതാണ്.

ദർഘാസുകൾ ആവശ്യമുള്ളവർ സുപ്രണ്ട്, ഗവൺമെന്റ് ഹോമിയോ മെഡിക്കൽ കോളേജ് ആശുപത്രി, കാരപ്പറമ്പ്, കോഴിക്കോട്-10 എന്ന വിലാസത്തിൽ സ്വന്തം പേരിൽ സമർപ്പിക്കേണ്ടതാണ്. ദർഘാസ് ഫോറത്തിന്റെ വില 450 രൂപയാണ്. ഇത് യാതൊരു കാരണവശാലും തിരിച്ചു നൽകുന്നതല്ല. ദർഘാസുകൾ കൈമാറ്റം ചെയ്യുവാൻ പാടുള്ളതല്ല. ടെണ്ടർ ഫോറം തപാലിൽ ലഭിക്കണമെങ്കിൽ 50 രൂപ തപാൽ ചാർജ്ജായും അയയ്ക്കേണ്ടതാണ്. ഡ്യൂപ്ലിക്കേറ്റ് ഫോറം ആവശ്യമുള്ളവർ 225 രൂപ കൂടുതലായി അയയ്ക്കേണ്ടതാണ്. ദർഘാസ് ഫോറം 29-8-2009-ന് 3 മണിവരെ നേരിട്ടും 24-8-2009-ന് 3 മണിവരെ തപാൽ മുഖേനയും ലഭിക്കുന്നതാണ്. തപാൽ മുഖേന ലഭിക്കണമെങ്കിൽ മണിയോർഡർ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. വിതരണം ചെയ്യുവാൻ ഉദ്ദേശിക്കുന്ന കെമിക്കലുകളുടെ വിശദമായ വിവരങ്ങൾ (അളവ്, കമ്പനി മുതലായവ) ദർഘാസിന്റെയുടെ അടക്കം ചെയ്യേണ്ടതാണ്. ആശുപത്രി സുപ്രണ്ടിന്റെ നിർദ്ദേശാനുസരണം ഘട്ടംഘട്ടമായി കെമിക്കലുകൾ വിതരണം ചെയ്യേണ്ടതാണ്.

കൂടുതൽ വിവരങ്ങൾക്ക് പ്രവൃത്തി ദിവസങ്ങളിൽ ആശുപത്രി ഓഫീസുമായി ബന്ധപ്പെടാവുന്നതാണ്.

Government Homoeo Medical
College Hospital, Kozhikode.

(Sd.)
Superintendent.

Industrial Training Department**TENDER NOTICE**

No. 571/40/2009.

28th July 2009.

Sealed tenders are invited for the supply of "Electronic Total Station" at Staff Training Institute, Kazhakuttom.

Tender No.—ST1/02/2009.

Total Estimated Cost—Rs. 4 lakhs

Cost of Tender form :

Original—Rs. 800 + 12.5% VAT (100) = Rs. 900

Duplicate—Rs. 400 + 12.5% VAT (50) = Rs. 450

Last date and time of sale of tender—28-8-2009, 4 p. m.

Last Date and time of receipt of tender—29-8-2009, 2 p. m.

Date and time of opening of tender—29-8-2009, 3 p. m

The tenders should be superscribed with appropriate Tender Number and date and addressed to the Special Officer, Staff Training Institute, ITI (W) Compound, Kazhakuttom.

Late tenders will not be accepted. The tenders will be opened at the time and date given above, in the presence of the tenderers or their authorized representatives who may be present at the time.

The tenders should be in the prescribed form which can be obtained on application from the Special Officer, Staff Training Institute, ITI (W) Compound, Kazhakuttom. The application for tender forms should be accompanied by a cash remittance of the cost of forms in favour of Special Officer, Staff Training Institute, ITI (W) Compound, Kazhakuttom, which is not refundable. Drafts, Cheques, Postal Orders etc. will not be accepted towards cost of the forms and the forms will not be sent by V.P.P. Duplicate Tender forms will be issued on remittance of the prescribed cost. Kerala Stamp Paper worth Rs. 50 is required for executing the agreement along with the tender will be supplied to the firms outside Kerala on remittance of Rs. 85 Separately by money order Rs. 35 is intended to cover the postage and incidental expenses. Every tender should send along with the tender an Earnest money 1% of total cost of articles tendered for the Special Officer, Staff Training Institute, ITI (W) Compound, Kazhakuttom, reserves the right to accept tenders or reject any tenders without assigning reasons thereof.

Execution of agreement and furnishing of E.M.D. No exemption is allowed even to S.S.I. units Public undertaking firms registered with SPD Govt. of Kerala with DGS & D etc.

വ്യാവസായിക പരിശീലന വകുപ്പിന്റെ കീഴിൽ പ്രവർത്തിക്കുന്ന കഴക്കൂട്ടം വനിത ഐ.ടി.ഐ. കോമ്പൗണ്ടിൽ സ്ഥിതിചെയ്യുന്ന സ്റ്റാഫ് ട്രെയിനിംഗ് ഇൻസ്റ്റിറ്റ്യൂട്ടിന് ആവശ്യമായ ഇലക്ട്രോണിക് ടോട്ടൽ സ്റ്റേഷൻ വിതരണം ചെയ്യുന്നതിന് താല്പര്യമുള്ളവരിൽനിന്നും മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചു കൊള്ളുന്നു.

ദർഘാസ് നമ്പർ—എസ്.റ്റി.1/02/2009.

അടങ്കൽ തുക—രൂപ 4 ലക്ഷം.

ദർഘാസ് പ്രമാണത്തിന്റെ വില :

ഒറിജിനൽ—രൂപ 800 + ST 12.5% (100)= Rs. 900

ഡ്യൂപ്ലിക്കേറ്റ്—രൂപ 400 + ST 12.5% (50)= Rs. 450

ദർഘാസ് വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—
28-8-2009, 4 മണി.

ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—29-8-2009, 2 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—29-8-2009, 3 മണി.

ദർഘാസുകളുടെ കവറിന് പുറത്ത് ദർഘാസ് നമ്പരും തീയതിയും എഴുതേണ്ടതാണ്. ദർഘാസുകൾ സ്പെഷ്യൽ ഓഫീസർ, സ്റ്റാഫ് ട്രെയിനിംഗ് ഇൻസ്റ്റിറ്റ്യൂട്ട്, വനിത ഐ.റ്റി.ഐ. കോമ്പൗണ്ട്, കഴക്കൂട്ടം, തിരുവനന്തപുരം ജില്ല എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതാണ്. താമസിച്ച് ലഭിക്കുന്ന ദർഘാസുകൾ ഒരു കാരണവശാലും സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ നിശ്ചിത സമയത്ത് അപ്പോൾ ഹാജരായിരിക്കുന്ന ദർഘാസുകാരുടേയോ അവർ ചുമതലപ്പെടുത്തിയിരിക്കുന്ന പ്രതിനിധികളുടേയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്.

ദർഘാസ് ഫോറത്തിന് നിശ്ചിത തുകയടച്ച് അപേക്ഷിക്കേണ്ടതാണ്. വില സ്പെഷ്യൽ ഓഫീസറിന് മണിയോർഡറായി അയക്കാവുന്നതാണ്. ഡ്രാഫ്റ്റ്, ചെക്ക്, പോസ്റ്റൽ ഓർഡർ എന്നീ രീതികളിൽ ദർഘാസ് വില സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറം വി.പി.പി. ആയി അയക്കുന്നതല്ല. ദർഘാസ് ഫോറം കൈമാറ്റം ചെയ്യാവുന്നതല്ല. ഡ്യൂപ്ലിക്കേറ്റ് ദർഘാസ് ഫോറം ആവശ്യമുള്ളവർ നിശ്ചിത തുക അടച്ച് ആവശ്യപ്പെടാവുന്നതാണ്. ദർഘാസ് വിലയായി അടച്ച തുക യാതൊരു കാരണവശാലും തിരിച്ച് നൽകുന്നതല്ല.

ദർഘാസ് ഫോറത്തിൽ കൊടുത്തിട്ടുള്ള മാതൃകയിൽ 50 രൂപയുടെ കേരള സർക്കാർ മുദ്രപത്രത്തിൽ കരാർ ഒപ്പിട്ട് ദർഘാസിനോടൊപ്പം സമർപ്പിക്കേണ്ടതാണ്. കേരളത്തിന് പുറത്തുള്ള ദർഘാസുകൾക്ക് മുദ്രപത്രം ദർഘാസിനൊപ്പം ആവശ്യമുണ്ടെങ്കിൽ 35 രൂപ അധികം അടച്ച് അപേക്ഷിക്കേണ്ടതാണ്. പുരിപ്പിച്ച ദർഘാസിനോടൊപ്പം രേഖപ്പെടുത്തുന്ന വിലയുടെ 1% തുക നിരതദ്രവ്യമായി സമർപ്പിക്കേണ്ടതാണ്.

ദർഘാസുകൾ സ്വീകരിക്കുന്നതിനും കാരണം കൂടാതെ നിരസിക്കുന്നതിനുമുള്ള അധികാരം സ്പെഷ്യൽ ട്രെയിനിംഗ് ഇൻസ്റ്റിറ്റ്യൂട്ട് സ്പെഷ്യൽ ഓഫീസറിൽ നിക്ഷിപ്തമാണ്.

SPECIFICATION

(All hardware, software & accessories must be from original equipment manufacturer)

Total Station with Laser Plummet, Detachable Tribrach and capability of Guiding the user to level the Instrument by showing which Footscrew to be rotated in which direction on the LCD DISPLAY.

Accuracy—7 second (Angular)

1.5mm+2ppm (Distance) with a measurement time of 2.5 second or better.

Least Count—1 second angular and 0.1 mm. in distance

Magnification—30X or better

Measurement Range—3500 m with Single prism under average atmospheric conditions with measurement time of less than 3 seconds in fine and 0.2 seconds in tracking.

Display—Graphical LCD display with minimum 150x250 pixels

Key Board—Key Board with user definable-multie function trigger keys and function keys.

Onboard functions—(1) The instruments should have function to calculate the level of a stationed point from the known target points in both faces.

(2) The instrument should have a function of Hidden Point to measure invisible points using hidden point rod.

Onboard application programmes—Surveying, Stake out, Area and Volume with visible layout /plan, Tie Distance, Reference Line, Free Station, Remote Height and Construction.

Security System—The system should have inbuilt security system of locking the instrument with user definable PIN number to avoid the unauthorised use of the instrument.

Memory—At least 20000 fix points and USER Definable formats/ASCII/GSI/land XML/dxf formats.

GPS Compatibility—Data should be able to interchange between GPS and Total Station with out any data conversion.

Battery—Rechargeable Li ion battery for operation 8 hours minimum.

Compensator—Quadriple axis with ON and OFF facility with a setting accuracy of 2" or better.

Encoder—Absolute continuous and diametrical.

Horizontal/Vertical Drives—System recommended to have endless drive i. e. to be free from all mechanical locks for vertical and horizontal movements.

Environmental—IP 55 for dust and splash and 95% non condensing Humidity.

Accessories— 1. Machine with Laser plummet
2. Tribrach
3. Tripod (wooden and telescopic)
4. Pole
5. Prism to have measuring range of 3500 Meter
6. Battery and Charger
7. Down loading Software
8. Data cable

Office of the Staff Training
Institute, Govt. ITI (W) (Sd.)
Compound, Kazhakuttom-695 582. *Special Officer.*

Medical Education Department

TENDER NOTICE

[12/2009-10/MCTCR]

No. C6/7864/2009/MCTCR. 15th July 2009.

Sealed tenders are invited for the supply of (2 Nos.) 'Slit Lamp Microscope with Applanation Tonometer' and (1 No.) 'A Scan' for Ophthalmology Department of Medical College, Thrissur. The tender should be superscribed "Tender No. 12/2009-10/MCTCR" for the supply of 'Slit Lamp Microscope with Applanation Tonometer' and 'A Scan' and addressed to the Principal, Medical College, Thrissur. Approximate cost-Rs. 6,06,000.

The last date fixed for the receipt of tender is at 1 p.m. on 28-8-2009 and opening is at 3 p.m. on 28-8-2009. Sale of tenders will be closed on 27-8-2009. The cost of tender form is Rs. 1,350 and duplicate copy is Rs. 675. The tender form is not transferable. Only Money Order will be accepted towards cost of tender form till 20-8-2009. Rs. 50 should be sent additionally if needed by post. Further details can be had from the office of the undersigned.

തൃശ്ശൂർ മെഡിക്കൽ കോളേജിലെ ഓഫീസൽ മോളജി ഡിപ്പാർട്ടുമെന്റിലേക്ക് ആവശ്യമായ സ്ലിറ്റ് ലാമ്പ് മൈക്രോസ്കോപ്പ് വിത്ത് അപ്ലാനേഷൻ ടോണോമീറ്റർ (2 എണ്ണം), എ സ്കാൻ (1 എണ്ണം) സപ്ലൈ ചെയ്യുന്നതിന് തയ്യാറുള്ളവരിൽ നിന്നും മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചു കൊള്ളുന്നു. ഉദ്ദേശ അടങ്കൽ തുക—രൂപ 6,06,000.

ദർഘാസുകൾ "ദർഘാസ് നമ്പർ 12/2009-10/മെ.കോ.തു" എന്ന് രേഖപ്പെടുത്തേണ്ടതും പ്രിൻസിപ്പാൾ, മെഡിക്കൽ കോളേജ്, തൃശ്ശൂർ, മുളംകുന്നത്തുകാവ് -680 596 എന്ന വിലാസത്തിൽ 28-8-2009 ഉച്ചയ്ക്ക് 1 മണിക്ക് മുമ്പായി അയച്ചുതരേണ്ടതും ആകുന്നു. ദർഘാസുകൾ അന്നേദിവസം 3 മണിക്ക് ബന്ധപ്പെട്ടവരുടെ സാന്നിധ്യത്തിൽ തുറക്കുന്നതും ആണ്. ദർഘാസ് ഫാറത്തിന്റെ വില 1,350 രൂപ. ഡ്യൂപ്ലിക്കേറ്റ് ഫാറത്തിന്റെ വില 675 രൂപ. ഫാറം വിൽപ്പന അവസാനിക്കുന്ന തീയതി 27-8-2009. മണിയോർഡർ സ്വീകരിക്കുന്ന അവസാന തീയതി 20-8-2009, 4 മണി. ഫോറം തപാലിൽ ലഭിക്കണമെന്നുള്ളവർ 50 രൂപ ചേർത്ത് മണിയോർഡർ അയയ്ക്കേണ്ടതാണ്. വൈകിക്കിട്ടുന്ന ദർഘാസുകൾ യാതൊരു കാരണവശാലും സ്വീകരിക്കുന്നതല്ല. കൂടുതൽ വിവരങ്ങൾക്ക് ഓഫീസുമായി പ്രവർത്തി ദിവസങ്ങളിൽ ബന്ധപ്പെടുക.

Govt. Medical College, (Sd.)
Thrissur. *Principal.*

Police Department

TENDER NOTICE

No. H6-61829/09. 30th July 2009.

Sealed tenders are invited for the supply of the following stores so as to reach Police Headquarters, Thiruvananthapuram on or before 12 Noon on 29-8-2009.

Sl. No.	Tender No. and Name of Equipment	Approx. Quantity Required
(1)	(2)	(3)
1	41/09—Deep Search Metal Detector	6 Nos.
2	42/09—Door Frame Metal Detector	60 „
3	43/09—Non Linear Junction Detector	7 „
4	44/09—Portable X Ray Machine	2 „
5	45/09—Prodger	25 „
6	46/09—Water Jet Disrupter	4 „
7	47/09—Explosive Detector	10 „
8	48/09—Letter Bomp Detector	10 „
9	49/09—Hook and Line Set	10 „

(1)	(2)	(3)
10	50/09—Bomb Suppression Blankets	10 Nos.
11	51/09—Bomb Suits	6 „
12	52/09—Remote Wire Cutter	10 „
13	53/09—Blast Containment Equipments	10 „
14	54/09—Portable Under Vehicle Check System	25 „
15	55/09—Explosive Detection Kit	10 „
16	56/09—Bullet Proof Jacket	60 „
17	57/09—Digi Cabin (150 liters)	10 „
18	58/09—Binoculars with Photographing	10 „
19	59/09—Bullet Proof Podium	4 „
20	60/09—Heavy Duty Helmets	1200 „
21	61/09—PH Meter	1 No.
22	62/09—Double Distillation Unit	1 „
23	63/09—Fume hood	3 Nos.
24	64/09—Refrigerated Centrifuge	1 No.
25	65/09—Ordinary Shaker	1 „
26	66/09—Digital Shaking Incubator	1 „
27	67/09—Ultra Light- Scene of Crime Light	10 Nos.
28	68/09—Forensic Light Source	6 „
29	69/09—Stabilizers for Air Conditioner 5 KVA	15 „
30	70/09—Stabilizers for Air Conditioner 6 KVA	11 „

Cost of tender form—Rs. 1,800 + 12.5% VAT for Sl. Nos. 1, 17, Rs. 2,700 + 12.5% VAT for Sl. Nos. 2, 16, Rs. 7,700 + 12.5% VAT for Sl. No. 3, Rs. 6,000 + 12.5% VAT Sl. No. 4, Rs. 300 + 12.5% VAT for Sl. Nos. 5, 22, Rs. 2,400 + 12.5% VAT for Sl. Nos. 6, 9, Rs. 19,500 + 12.5% VAT for Sl. No. 7, Rs. 1,000 + 12.5% VAT for Sl. Nos. 8, 23, 26, Rs. 3,000 + 12.5% VAT for Sl. No. 10, Rs. 7,500 + 12.5% VAT for Sl. Nos. 11, 13, Rs. 1,500 + 12.5% VAT for Sl. No. 12, Rs. 7,800 + 12.5% VAT for Sl. No. 14, Rs. 600 + 12.5% VAT, for Sl. No. 15, Rs. 500 + 12.5% VAT for Sl. No. 18, Rs. 4,500 + 12.5% VAT for Sl. Nos. 19, 27, Rs. 1,400 + 12.5% VAT for Sl. No. 20, Rs. 400 + 12.5% VAT for Sl. Nos. 21, 25, 29, 30, Rs. 1,200 + 12.5% VAT for Sl. No. 24 and Rs. 9,000 + 12.5% VAT for Sl. No. 28.

Date and time of opening tenders—29-8-2009, 3 p. m.

CONDITIONS

1. The tenders should be superscribed with Tender Number and name of the store articles and addressed to the Director General of Police, State Police Headquarters, Vellayambalam, Thiruvananthapuram-695 010, Kerala. Late tenders will not be accepted.

2. The tenders will be opened at the time mentioned above, in the presence of the tenderers or their authorized representatives (with proof of Identity) who may be present at that time.

3. Intending tenderers may on application to the Director General of Police, obtain requisite tender forms on which the tenders should be submitted.

4. Application for tender documents should be accompanied by cash remittance of the price fixed for such tender documents. This amount is not refundable. The tender forms are not transferable. The sale of tender forms will be closed at 4 p. m. on 28-8-2009, Cheques, Drafts, Postage Stamps, etc. will not be accepted towards the cost of the tender forms nor will the tender forms be sent by VPP. However Money Orders (Including Telegraphic Money Orders) sent in the name of the Additional Assistant Inspector General of Police, Police Headquarters, Thiruvananthapuram-10 will be accepted. The amount should include the postage/courier charges for sending tender documents. The Money Order alongwith the request should reach Police Headquarters atleast 7 days before the closing of the sales of the tender documents enabling us to send the documents well in advance.

5. Earnest Money Deposit (EMD) @1% of the quoted value should be furnished along with the tender. EMD may be submitted either in cash or crossed Bank Drafts or Treasury Savings Bank Deposits or Government Promissory Notes or Bank Guarantee or National Saving Certificates drawn in favour of Additional Assistant Inspector General of Police, Police Headquarters, Thiruvananthapuram-10. The firms which are exempted from furnishing EMD should produce a copy of relevant authorized document for verification. Without EMD, the tenders will be rejected.

6. Intending tenderers also may include charges for installation (of technical items), training of officers and on-site support at least for 3 years as warranty and thereafter A.M.C./A.T.S. for a period of 3 years on a turn key basis at a reasonable cost (to be specified along with the quotation) in the tenders.

7. Specifications and list of items of each tender shall be obtainable from PHQ with the tender forms during the working hours of Police Headquarters. The firms should also furnish the detailed specifications, make, brochures, Test Report from Govt. Laboratories/Agencies, (wherever possible) technical support network in Kerala etc. of the equipments along with the tenders. The tenders without detailed specifications of quoted items, brochures, make etc. are liable to be rejected forthwith. The tenders without separate envelope and not superscribing the tender number etc. may be rejected.

8. Preference will be given to the products quoted by the manufacturer or their authorised dealers having

authorisation from the original manufacturer. Similarly preference will be given to the tenderers having experience of supplying similar/same items to Govt. Departments or Organisations, for which the Tenderer has to produce proof of purchase/installation/satisfaction of the customer.

9. In the case of Foreign Equipments the rates are to be quoted in Indian Money also. Preference will be given to those who are ready to supply the item without opening Letter of Credit. Ordinarily no advance payment will be made for procuring any of the above items. In case, advance payment has to be made then a clear case has to be made out by the Tenderer. But this will be in extraordinary circumstances.

10. As the items are urgently required, the selected bidder will have to supply the item without loss of time preferably within a month. In Case for any pressing circumstance there will be delayed supply, the Tenderer must cite adequate, justifiable grounds in writing and send them to DGP Kerala for consideration. DGP, in appropriate cases can allow maximum 6 months of time from the scheduled date.

11. Samples will have to be submitted free of cost whenever necessary which would be returned only after Supply is effected. The firms should be ready to show live demonstration of technical equipments at their own cost and risk. The Demonstration date and venue will be published in Kerala Police Website. Individual intimation may not be possible. In the event of the firms not able to show live demonstration they need to convince the Technical Committee cum Tender Evaluation Committee about such inability and resort to computer animation/ Scale Models/Videos/Slide shows etc. for virtual and detailed demonstration of the product. However, it is incumbent on the Vendor to convince the Committee about the product.

12. Police Department is not liable to send any individual communication. In some cases Police Department is not responsible to return the samples after verification. The rates quoted should be valid and firm till 31-3-2010.

13. The Director General of Police is empowered to reject any tender without assigning any reason.

14. For any clarification please contact AIG-II (Phone 0471-2722566) or Senior Superintendent 'H' Division (Phone 0471-2721547-1265)

പോലീസ് വകുപ്പിലേക്ക് ആവശ്യമായ താഴെ പറയുന്ന സാധനങ്ങൾ വിതരണം ചെയ്യുന്നതിനുള്ള മുദ്രവച്ച ദർശാസുകൾ 29-8-2009 തീയതി ഉച്ചയ്ക്ക് 12 മണിയ്ക്ക് മുൻപായി ഈ ഓഫീസിൽ ലഭിക്കത്തക്ക വിധത്തിൽ ക്ഷണിച്ചുകൊള്ളുന്നു.

ക്രമ നമ്പർ	ദർശാസ നമ്പരും ആവശ്യമായ സാധനവും	ആവശ്യമായ എണ്ണം
1	41/09—ഡീപ്പ് സെർച്ച് മെറ്റൽ ഡിറ്റക്ടർ	6 എണ്ണം
2	42/09—ഡോർ ഫ്രെയിം മെറ്റൽ ഡിറ്റക്ടർ	60 ,,
3	43/09—നോൺ ലീനിയർ ജംഗ്ഷൻ ഡിറ്റക്ടർ	7 ,,
4	44/09—പോർട്ടബിൾ എക്സ്റേ മെഷീൻ	2 ,,
5	45/09—പ്രോഡർ	25 ,,
6	46/09—വാട്ടർ ജറ്റ് ഡിസ്റപ്റ്റർ	4 ,,
7	47/09—എക്സ്പ്ലോസീവ് ഡിറ്റക്ടർ	10 ,,
8	48/09—ലൈറ്റർ ബോംബ് ഡിറ്റക്ടർ	10 ,,
9	49/09—ഹൂക്ക് അൻഡ് ലൈൻ സെറ്റ്	10 ,,
10	50/09—ബോംബ് സപ്രഷൻ ബ്ലാങ്കറ്റ്	10 ,,
11	51/09—ബോംബ് സ്വുട്ട്	6 ,,
12	52/09—റിമോട്ട് വയർ കട്ടർ	10 ,,
13	53/09—ബ്ലാസ്റ്റ് കൺടെയ്ൻമെന്റ് എക്യുപ്മെന്റ്	10 ,,
14	54/09—പോർട്ടബിൾ അണ്ടർ വെഹിക്കിൾ ചെക്ക് സിസ്റ്റം	25 ,,
15	55/09—എക്സ്പ്ലോസീവ് ഡിറ്റക്ടർ കിറ്റ്	10 ,,
16	56/09—ബുള്ളറ്റ് പ്രൂഫ് ജാക്കറ്റ്	60 ,,
17	57/09—ഡിജി ക്യാബിൻ (150 ലിറ്റർ)	10 ,,
18	58/09—ബൈനോക്കുലർ വിത്ത് ഫോട്ടോഗ്രാഫിംഗ്	10 ,,
19	59/09—ബുള്ളറ്റ് പ്രൂഫ് പോഡിയം	4 ,,
20	60/09—ഹെവി ഡ്യൂട്ടി ഹെൽമെറ്റ്	1200 ,,
21	61/09—പി എച്ച് മീറ്റർ	1 ,,
22	62/09—ഡബിൾ ഡിസ്റ്റിലേഷൻ യൂണിറ്റ്	1 ,,
23	63/09—ഫ്യൂം ഹൂഡ്	3 ,,
24	64/09—റെഫ്രിജറേറ്റഡ് സെൻസിഫൈഡ്	1 ,,
25	65/09—ഓർഡിനറി ഷെയ്ക്കർ	1 ,,
26	66/09—ഡിജിറ്റൽ ഷെയ്ക്കിംഗ് ഇൻകുബേറ്റർ	1 ,,
27	67/09—അൾട്രാ ലൈറ്റ് സീൻ ഓഫ് ക്രൈം ലൈറ്റ്	10 ,,
28	68/09—ഫോറൻസിക് ലൈറ്റ് സോഴ്സ്	6 ,,
29	69/09—സ്റ്റേബിലൈസർ 5 കെ. വി. എ. എയർകണ്ടിഷണറിനുവേണ്ടി	15 ,,
30	70/09—സ്റ്റേബിലൈസർ 6 കെ. വി. എ. എയർകണ്ടിഷണറിനുവേണ്ടി	11 ,,

ദർശാസ ഫാറത്തിന്റെ വില—ക്രമനമ്പർ 1-നും 17-നും രൂപ 1,800 + 12.5% വാറ്റ്, 2, 16, ഇവയ്ക്ക് രൂപ 2,700 + 12.5% വാറ്റ്, 3-ന് രൂപ 7,700 + 12.5% വാറ്റ്, 4-ന് രൂപ 6,000 + 12.5% വാറ്റ്, 5, 22 ഇവയ്ക്ക് രൂപ 300 + 12.5% വാറ്റ്, 6, 9 ഇവയ്ക്ക് രൂപ 2,400 + 12.5% വാറ്റ്, 7-ന് രൂപ 19,500 + 12.5% വാറ്റ്, 8, 23, 26, ഇവയ്ക്ക് രൂപ 1,000 + 12.5% വാറ്റ്, 10-ന് രൂപ 3,000 + 12.5% വാറ്റ്, 11,13 ഇവയ്ക്ക് രൂപ 7,500 + 12.5% വാറ്റ്, 12-ന് രൂപ 1,500 + 12.5% വാറ്റ്, 14-ന് രൂപ 7,800 + 12.5% വാറ്റ്, 15-ന് രൂപ 600 + 12.5% വാറ്റ്, 18-ന് രൂപ 500 + 12.5% വാറ്റ്, 19, 27 ഇവയ്ക്ക് രൂപ 4,500 + 12.5% വാറ്റ്, 20-ന് രൂപ 1,400 + 12.5% വാറ്റ്, 21, 25, 29, 30 ഇവയ്ക്ക് രൂപ 400 + 12.5% വാറ്റ്, 24-ന് രൂപ 1,200 + 12.5% വാറ്റ്, 28-ന് രൂപ 9,000 + 12.5% വാറ്റ്.

ദർശാസ തുറക്കുന്ന തീയതിയും സമയവും—29-8-2009, 3 മണി.

ഓരോ ഇനങ്ങൾക്കും പ്രത്യേകം ദർഘാസ് ഫോറങ്ങൾ അയയ്ക്കേണ്ടതാണ്. താത്പര്യമുള്ളവർക്ക് പോലീസ് ഡയറക്ടർ ജനറലിന്റെ പേർക്കുള്ള അപേക്ഷയോടൊപ്പം ഓരോ ഇനത്തിലും പറഞ്ഞിട്ടുള്ള നിരക്കിൽ പണമടച്ച് ദർഘാസ് ഫോറങ്ങൾ പോലീസ് ഹെഡ് ക്വാർട്ടേഴ്സിൽനിന്ന് 28-8-2009 തീയതി വൈകിട്ട് 4 മണി വരെ വാങ്ങാവുന്നതാണ്. ചെക്കുകൾ, ഡ്രാഫ്റ്റുകൾ, പോസ്റ്റേജ് സ്റ്റാമ്പുകൾ എന്നിവ ടെൻഡർ ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതോ ടെൻഡർ ഫോറം വി.പി.പി. ആയി അയക്കുകയോ ചെയ്യുന്നതല്ല. ടെൻഡർ ഫോറത്തിന്റെ വില മണി ഓർഡറായി സ്വീകരിക്കുന്നതാണ്. മണി ഓർഡറും ടെൻഡർ ഫോറത്തിനുള്ള അപേക്ഷയും കുറഞ്ഞത് ടെൻഡർ ഫോറം വിൽക്കുന്നതിനുള്ള അവസാനദിവസത്തിന് 7 ദിവസം മുൻപെങ്കിലും ഈ ഓഫീസിൽ ലഭിക്കേണ്ടതാണ്.

വിദേശ ഉപകരണങ്ങൾക്കായി ടെൻഡർ സമർപ്പിക്കുമ്പോൾ രൂപയിലുള്ള വിലയ്ക്കു റേഖപ്പെടുത്തിയിരിക്കണം. ലെറ്റർ ഓഫ് ക്രെഡിറ്റ് ഓപ്പൺ ചെയ്യാതെ നേരിട്ട് ഉപകരണങ്ങൾ വിതരണം ചെയ്യാൻ തയ്യാറുള്ളവർക്ക് മുൻഗണന നൽകുന്നതാണ്. മുൻകൂർ തുക യാതൊരു കാരണവശാലും നൽകുന്നതല്ല. എന്നാൽ അത്യന്താപേക്ഷിതമാണെന്ന് ബോധ്യപ്പെടുന്ന സന്ദർഭങ്ങളിൽ മുൻകൂർ തുക നൽകാവുന്നതാണ്. ദർഘാസുകൾ അയയ്ക്കുന്നവരുടെ പേരും ടെൻഡർ നമ്പരും രേഖപ്പെടുത്തി പോലീസ് ഡയറക്ടർ ജനറൽ, പോലീസ് ഹെഡ് ക്വാർട്ടേഴ്സ്, തിരുവനന്തപുരം-10 എന്ന വിലാസത്തിൽ 29-8-2009 ഉച്ചയ്ക്ക് 12 മണിക്കോ അതിന് മുൻപോ ലഭിക്കത്തക്ക വിധത്തിൽ അയയ്ക്കേണ്ടതാണ്. താമസിച്ച് ലഭിക്കുന്ന ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ 29-8-2009-ന് 3.00 മണിക്ക് തദവസരത്തിൽ ഹാജരായിട്ടുള്ള കരാറുകാരുടെയോ അവർ അധികാരപ്പെടുത്തിയിട്ടുള്ള പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്. ദർഘാസ് ഫോറത്തിനോടൊപ്പം, ദർഘാസ് തുകയുടെ 1% വരുന്ന തുകയ്ക്കുള്ള നിരതദ്രവ്യം പോലീസ് അസിസ്റ്റന്റ് ഇൻസ്പെക്ടർ ജനറൽ - II, പോലീസ് ഹെഡ്ക്വാർട്ടേഴ്സ്, തിരുവനന്തപുരത്തിന്റെ പേർക്ക് മാറ്റാവുന്ന വിധത്തിൽ ഹാജരാക്കേണ്ടതും, നിരതദ്രവ്യം ഒഴിവാക്കപ്പെട്ടിട്ടുള്ളവർ അത് തെളിക്കുന്നതിനുള്ള രേഖകൾ ടെൻഡറിനോടൊപ്പം ഹാജരാക്കേണ്ടതുമാണ്. നിരതദ്രവ്യം ക്രോസ് ചെയ്ത ബാങ്ക് ഡ്രാഫ്റ്റായോ, ട്രഷറി സേവിംഗ്സ് ഡെപ്പോസിറ്റായോ ഗവൺമെന്റ് പ്രോമിസറിനോടായോ ബാങ്ക് ഗ്യാരന്റിയായോ, നാഷണൽ സേവിംഗ്സ് സർട്ടിഫിക്കറ്റായോ സമർപ്പിക്കാവുന്നതാണ്.

ഉപകരണങ്ങൾ അത്യന്താപേക്ഷിതമായതിനാൽ തെരഞ്ഞെടുക്കപ്പെടുന്ന കരാറുകാരൻ ഒരു മാസത്തിനുള്ളിൽ തന്നെ പ്രസ്തുത ഉപകരണം ലഭ്യമാക്കേണ്ടതാണ്. സാധനങ്ങളുടെ സ്പെസിഫിക്കേഷനുകൾ ദർഘാസ് ഫോറത്തിനോടൊപ്പം ലഭ്യമാണ്. സാമ്പിളുകൾ ദർഘാസിനോടൊപ്പം സൗജന്യമായി ലഭ്യമാക്കാൻ കരാറുകാർ ബാധ്യസ്ഥരാണ്. കരാറുകാർ ബന്ധപ്പെട്ട സാങ്കേതിക ഉപകരണങ്ങളുടെ ഡെമോൺസ്ട്രേഷൻ സ്വന്തം ചിലവിലും ഉത്തരവാദിത്വത്തിലും നടത്തേണ്ടതും അതിന് തയ്യാറായി വരേണ്ടതുമാണ്. ഉപകരണങ്ങൾ കൊണ്ടുവന്ന് ഡെമോൺസ്ട്രേഷൻ നടത്താൻ കഴിയാത്തപക്ഷം ആയതിനുള്ള കാരണം ടെക്നിക്കൽ കമ്മിറ്റിയെ ബോധ്യപ്പെടുത്തേണ്ടതും പ്രസ്തുത ഉപകരണത്തിന്റെ ആനിമേഷനോ, മാതൃകയോ, വീഡിയോയോ സ്റ്റൈഡ് ഷോ ആയോ മുഖാന്തിരം ആയതിന്റെ പ്രവർത്തനം വിശദമാക്കേണ്ടതാണ്. സാമ്പിളുകൾ മടക്കി നൽകാനുള്ള ഉത്തരവാദിത്വം ഡിപ്പാർട്ട്മെന്റിൽ നിക്ഷിപ്തമല്ലാത്തതാകുന്നു. ദർഘാസുകളിൽ രേഖപ്പെടുത്തുന്ന വില 31-3-2010 തീയതി വരെ മാറ്റമില്ലാതെ നിലനിർത്തേണ്ടതാകുന്നു. വിശദമായ സ്പെസിഫിക്കേഷനും മറ്റ് വിവരങ്ങളും കേരള പോലീസ് വെബ് സൈറ്റിൽ ലഭ്യമാണ്.

യാതൊരു കാരണവും ബോധ്യപ്പെടുത്താതെ ദർഘാസുകൾ നിരസിക്കുന്നതിനുള്ള പൂർണ്ണ അധികാരം പോലീസ് ഡയറക്ടർ ജനറലിൽ നിക്ഷിപ്തമാണ്. കൂടുതൽ വിവരങ്ങൾക്ക് പോലീസ് ഹെഡ് ക്വാർട്ടേഴ്സിലെ പോലീസ് അസിസ്റ്റന്റ് ഇൻസ്പെക്ടർ ജനറൽ-II നെയോ (Phone 0471-2722566) 'എച്ച്' സെക്ഷനിലെ സീനിയർ സൂപ്രണ്ടിനെയോ (Phone 0471-2721547-1265) ബന്ധപ്പെടാവുന്നതാണ്.

Police Headquarters, (Sd.)
Thiruvananthapuram. For Director General of Police.

Stationery Department

TENDER NOTICE

No. 8280/B1/2009/Sty.

31st July 2009.

Sealed tenders are invited from paper manufacturing mills for the supply of the following paper items.

Sl. No.	Tender No. and Name of item	Qty. (Tonne)
1	55/2009-10 — White Printing Paper, RA1 (61× 86cm), 60gsm, 72% brightness (Min.), 15.7kg. per ream of 500 sheets. (IS:1848/2007)	400
2	59/2009-10—Azulaid Paper, RA1 (61× 86cm), 75gsm, 19.7kg. per ream of 500 sheets. (IS:1848/2007)	60
3	60/2009-10—Azulaid Paper, RA1 (61× 86cm), 90gsm, 23.6kg. per ream of 500 sheets. (IS:1848/2007)	90
4	63/2009-10 — Cream Wove Paper, 60gsm RA1 (61× 86cm), 72% brightness (Min.), 15.7kg. per ream of 500 sheets. (IS:1848/2007)	800

Cost of tender form (inclusive of KVAT @ 12.5%) :

Original—Rs. 27,000 for Sl. No. 1, Rs. 4,950 for Sl. No. 2, Rs. 7,425 for Sl. No. 3 and Rs. 28,125 for Sl. No. 4

Duplicate—Rs. 13,500 for Sl. No. 1, Rs. 2,475 for Sl. No. 2, Rs. 3,713 for Sl. No. 3 and Rs. 14,063 for Sl. No. 4

Last date and time of sale of tender form—8-9-2009, 4 p. m.

Last date and time for receipt of tenders—9-9-2009, 3 p. m.

Date and time of opening of tenders—9-9-2009, 4 p. m.

Paper shall consists of 100% virgin chemical pulp and shall be free from unbleached pulp. Paper made out from waste paper or paper cuttings is not acceptable. Azulaid paper to be supplied with machine finish.

Intending tenderers may on application to the Controller of Stationery, Thiruvananthapuram-695 033, Kerala obtain the requisite tender forms on which the tenders are to be submitted.

The sale of tender forms will be closed 24 hours before the time fixed for the opening of the tenders. Cost of tender forms will be accepted either in cash (remittance in the office) or by Money Order only and should be sent to the Controller of Stationery, Thiruvananthapuram-695 033 (Name of the Officer should not be mentioned). Cheques, Postage Stamps and Demand Drafts will not be accepted towards the cost of tender forms nor will the tender forms be sent by V.P.P. The cost of tender forms are not refundable under any circumstances. The tender number and the name of the item for which the tender form is required should be clearly specified in the application/M.O. Coupon. The tender forms are not transferable. The last date and time fixed for receipt of tender is 3 p.m. on the date fixed for opening of tender. If the date of opening of tender happens to be a holiday it will be opened at 4 p.m. on the next working day.

The covers containing the tenders shall be appropriately superscribed with the tender number and item and addressed to the Controller of Stationery, Thiruvananthapuram-695 033. Late tenders will not be accepted. The tenders will be opened in the presence of the tenderers or their authorised representatives who may be present at the time of opening of the tenders.

Every tenderer shall send along with his tender an agreement executed on a Kerala Stamp Paper worth Rs. 50 and furnish 1% of the total cost of the material as Earnest Money Deposit. EMD will be accepted in Cash/Demand Draft/FDR taken in favour of Controller of Stationery with due endorsement. No bidder (except SSI units within the State Registered with the Stores Purchase Department) shall be exempted from remittance of EMD/Bid security vide G.O.(P) No. 448/05/Fin. dated 13-10-2005. The facility of purchases against Form-D stands withdrawn vide Government of India Notification on 29th March 2007 of the Central Sales Tax Act, 1956.

A specimen of the preliminary agreement deed is appended to the tender form. Tenders received without the Agreement Deed, Earnest Money Deposit and Samples will be rejected outright. Further details, if any, can be had from the office of the undersigned during office hours.

Other things being equal, preference will be given to goods bearing ISI Certification mark and in the absence of Certification marks, products conforming to IS: specification. Where uncertified goods are supplied by the seller with a claim of conformity to the relevant Indian Standards, it is his responsibility to produce a Certificate of conformity from the Bureau of Indian Standards or any test house recognized by the BIS. Offers for articles with ISI mark should be accompanied by a duly attested copy of the latest valid license issued by BIS for manufacture of the articles with ISI mark.

താഴെ വിവരിക്കുന്ന പേപ്പർ ഇനങ്ങൾ വിതരണം ചെയ്യുന്നതിന് പേപ്പർ മില്ലുകളിൽ നിന്നും മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ക്രമ നമ്പർ	ദർഘാസ് നമ്പരും ഇനവും	അളവ് (ടൺ)
1	55/2009-10—വെള്ള പ്രിന്റിംഗ് പേപ്പർ, ആർ. എ.1 (61 X 86 സെ. മീ.) X 60 ജി. എസ്. എം., 72% ബ്രെറ്റ്സ് (15.7 കിലോ തൂക്കം വരുന്ന 500 ഷീറ്റുകളുള്ള റീം) (ഐ. എസ്. 1848/2007)	400
2	59/2009-10—അഷൂർലൈഡ് പേപ്പർ, ആർ. എ.1 (61 X 86 സെ. മീ.) X 75 ജി. എസ്. എം. (19.7 കിലോ തൂക്കം വരുന്ന 500 ഷീറ്റുകളുള്ള റീം) (ഐ. എസ്. 1848/2007)	60
3	60/2009-10—അഷൂർലൈഡ് പേപ്പർ, ആർ. എ.1 (61 X 86 സെ. മീ.) X 90 ജി. എസ്. എം. (23.6 കിലോ തൂക്കം വരുന്ന 500 ഷീറ്റുകളുള്ള റീം) (ഐ. എസ്. 1848/2007)	90
4	63/2009-10—ക്രീം വോവ് പേപ്പർ, ആർ. എ.1 (61 X 86 സെ. മീ.) X 60 ജി. എസ്. എം. (15.7 കിലോ തൂക്കം വരുന്ന 500 ഷീറ്റുകളുള്ള റീം) (ഐ. എസ്. 1848/2007)	800

ദർഘാസ് ഫോറത്തിന്റെ വില (കെ. വാറ്റ് 12.5% ഉൾപ്പെടെ):

അസ്സൽ—ക്രമനമ്പർ 1-ന് രൂപ 27,000, ക്രമനമ്പർ 2-ന് രൂപ 4,950, ക്രമനമ്പർ 3-ന് രൂപ 7,425, ക്രമനമ്പർ 4-ന് രൂപ 28,125.

പകർപ്പ്—ക്രമനമ്പർ 1-ന് രൂപ 13,500, ക്രമനമ്പർ 2-ന് രൂപ 2,475, ക്രമനമ്പർ 3-ന് രൂപ 3,713, ക്രമനമ്പർ 4-ന് രൂപ 14,063.

ദർഘാസ് ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—8-9-2009, 4 മണി.

ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—9-9-2009, 3 മണി.

ദർഘാസുകൾ തുറക്കുന്ന തീയതിയും സമയവും—9-9-2009, 4 മണി.

ദർഘാസ് അടക്കം ചെയ്ത കവറിന്റെ പുറത്ത് ദർഘാസ് നമ്പരും ഇനവും വ്യക്തമായി എഴുതണം. “സ്റ്റേഷനറി കൺട്രോളർ, തിരുവനന്തപുരം-695 033” എന്ന മേൽവിലാസത്തിലാണ് ദർഘാസുകൾ അയയ്ക്കേണ്ടത്. ദർഘാസുകൾ തുറക്കുന്നതിനായി നിശ്ചയിച്ചിട്ടുള്ള തീയതി 3 മണി വരെ മാത്രം ദർഘാസുകൾ സ്വീകരിക്കുന്നതും അതേ ദിവസം 4 മണിക്ക് ദർഘാസുകാരുടെയോ അവർ ചുമതലപ്പെടുത്തിയ പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ ദർഘാസ് തുറക്കുന്നതുമാണ്. താമസിച്ച് ലഭിക്കുന്ന ദർഘാസുകൾ യാതൊരു കാരണവശാലും സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറങ്ങളും മറ്റ് വിവരങ്ങളും തിരുവനന്തപുരത്തെ സ്റ്റേഷനറി കൺട്രോളറുടെ കാര്യാലയത്തിൽ നിന്നും ദർഘാസ് തുറക്കുന്നതിന്റെ തലേദിവസം 4 മണിവരെ ലഭ്യമാണ്. താൽപ്പര്യമുള്ളവർ ദർഘാസ് സമർപ്പിക്കേണ്ട നിശ്ചിതഫോറത്തിനുവേണ്ടി സ്റ്റേഷനറി കൺട്രോളർക്ക് അപേക്ഷ നൽകേണ്ടതാണ്. ഫോറത്തിന്റെ വില നേരിട്ടോ മണിയോർഡറായോ (സ്റ്റേഷനറി കൺട്രോളറുടെ ഔദ്യോഗിക മേൽവിലാസത്തിൽ മാത്രം) അടച്ചാൽ മതിയാകും. ചെക്ക്, ഡി. ഡി., പോസ്റ്റേജ് സ്റ്റാമ്പ് എന്നിവ ദർഘാസ് ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് വി. പി. പി. ആയി അയച്ചു

കൊടുക്കുന്നതല്ല. ദർഘാസ് നമ്പർ അപേക്ഷയിൽ വ്യക്തമായി സൂചിപ്പിച്ചിരിക്കണം. ദർഘാസ് ഫോറത്തിന്റെ പകർപ്പ് ആവശ്യമുള്ളവർ അതിന്റെ വില കൂടി ഒടുക്കേണ്ടതാണ്. ഏതെങ്കിലും കാരണവശാൽ ദർഘാസ് തുറക്കുന്ന ദിവസം ആഫീസ് അവധിയാണെങ്കിൽ തൊട്ടടുത്ത പ്രവൃത്തി ദിവസം ദർഘാസ് തുറക്കുന്നതായിരിക്കും. ദർഘാസ് തുറക്കുന്ന സമയത്തിനും സ്ഥലത്തിനും മാറ്റം ഉണ്ടായിരിക്കുന്നതല്ല. കേരള സർക്കാർ സ്റ്റോർ പർച്ചേസ് വകുപ്പിൽ രജിസ്റ്റർ ചെയ്തതും കേരളത്തിനകത്തുള്ളതുമായ എസ്.എസ്.ഐ. യൂണിറ്റുകൾ ഒഴികെ ടെണ്ടറിൽ പങ്കെടുക്കുന്ന എല്ലാ സ്ഥാപനങ്ങളും നിരതദ്രവ്യം നൽകേണ്ടതാണ്.

Office of the
Controller of Stationery,
Thiruvananthapuram.

(Sd.)
Controller of Stationery.

Department of Survey and Land Records

TENDER NOTICE

No. D1/804/2009.

6th August 2009.

Sealed tenders are invited for the supply of survey stones of the specifications and quality as described below.

The tenders should be superscribed on the envelope as Tender for the supply of survey stones for the resurvey work of Pathanapuram Taluk, Kollam District and addressed to the Assistant Director of Survey and Land Records, Re-survey, Chinnakkada, Kollam, as to reach him on or before 26-8-2009, 2 p. m. Tenders which are received after the specified time will not be accepted. The tenders will be opened at 4 p. m. on the same date in the presence of such of the tenderer or their authorized representatives who may be present at the time.

The stores should be supplied at the places mentioned in the indent within one month from the date of acceptance of tender.

The persons submitting tenders should produce an original solvency certificate named as Survey Director on a stamp worth Rs. 50 (Rupees Fifty only) which are obtained from the Tahsildar of the respective Taluk within a period of six months prior to the date of tender clearly indicating the details his own properties which should be worth an amount not less than 10% of the estimated cost of tender subject to a minimum of Rs. 20,000 along to their tenders.

In the case of successful tenders, they should pledge the properties to the value of 50% (Fifty percent only) of the total value, shown in the solvency certificate with the Government till the expiry of the contract or they should pledge the Bank Draft/Bank Guarantee by remitting an amount not less than 5% of the value of the contract named as Survey Director. This is in addition to the

security deposit of 5% of the value of the contract which are remitted as per rules.

Intending tenderers may put in application to the Assistant Director of Survey and Land Records, Re-survey, Kollam and obtain the requisite tender forms in which tenders should be submitted.

Application for the tender forms should be accompanied by a cash remittance of Rs. 800 with the 10% of sales tax and 15% of additional sale tax which is the price fixed for a form and which is not refundable under any circumstances. The tender forms are not transferable sales of tender form will be closed at 12 noon on 26-8-2009. Cheques, Postal Orders, Demand Draft etc. will not be accepted towards the cost of tender forms, nor will the items be sent by V.P.P. Duplicate tender forms, if required will be issued at Rs. 400+ST per copy.

Description of Survey Stones : Hard Granite stones of durable quality having dimensions of 60×15×15 cms.

Appropriate number of Survey stones required 70,000.

Each Survey stones, must have bear a coconut tree mark out in one centimeter deep on one of the lateral site sides. The coconut tree marks shall have a total length of 12 cms. and a total width and the top of the mark shall be terms below the top level of the stones. All stones must be roughly squared to one third of their length from the top.

The Survey stones which are required for the Khandam Boundary, Block Boundary, Trijunction Points, Town Surveys must have bear the appropriate symbols as per rules, which will be specified in the indent. A plummet hole in all survey stones with one centimeter deep should be affixed at the center of top.

Each tenderer should deposit Rs. 20,000 (Rupees Twenty thousand only) towards the Earnest Money before 12 noon of 26-8-2009 named as Survey Director and the receipt attached with each tenders. Earnest Money Deposit may be either in the form of crossed Bank Draft or Treasury Savings Bank Deposit.

The tenders received without the Earnest Money Deposit and the agreement will not be considered.

Any further details if required can be had from the office of the undersigned on any working days during office hours.

പത്തനാപുരം താലൂക്കിന്റെ റീസർവ്വെ ആവശ്യത്തിലേക്ക് താഴെ വിവരിച്ചിരിക്കുന്ന രീതിയിലും അളവിലും ഉള്ള സർവ്വെ കല്ലുകൾ വിതരണം ചെയ്യുന്നതിന് മുദ്രവച്ച ടെണ്ടറുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ടെണ്ടറുകൾ അടക്കം ചെയ്ത കവറിന്മേൽ പത്തനാപുരം താലൂക്കിലേക്ക് സർവ്വെ കല്ലുകൾ വിതരണം ചെയ്യുന്നതിനുള്ള ടെണ്ടർ എന്നെഴുതി അസിസ്റ്റന്റ് ഡയറക്ടർ, സർവ്വെയും ഭൂരേഖയും (റീസർവ്വെ), ചിന്നക്കട, കൊല്ലം എന്ന വിലാസത്തിൽ 26-8-2009 ഉച്ചയ്ക്കുശേഷം 2 മണിക്കോ അതിനുമുമ്പോ കിട്ടത്തക്കവിധം അയച്ചിരിക്കണം. വൈകിക്കിട്ടുന്ന ടെണ്ടറുകൾ സ്വീകരിക്കുന്നതല്ല. ടെണ്ടറുകൾ അനുതന്നെ 4 മണിക്ക്

തൽസമയം ഹാജരുള്ള ടെണ്ടറുകാരുടെയോ അവർ രേഖാമൂലം അധികാരപ്പെടുത്തുന്ന പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്.

സർവ്വകലാശാല റീസർവ്വേക്കുവേണ്ടി നിയോഗിച്ചിട്ടുള്ള ഉദ്യോഗസ്ഥൻമാർ ഇൻഡന്റിൽ പറയുന്ന സ്ഥലങ്ങളിൽ ഒരു മാസത്തിനകം വിതരണം ചെയ്യേണ്ടതാണ്.

ടെണ്ടറിന്റെ അടങ്കൽ തുകയുടെ 10% കുറയാതെയുള്ള തുകയ്ക്ക് ഏറ്റവും ചുരുങ്ങിയത് 2 ലക്ഷം എന്നതിന് വിധേയമായി ടെണ്ടർകാരന്റെ സ്വകാര്യസ്വത്തുക്കളുടെ വിവരങ്ങൾ കാണിച്ചിട്ടുള്ള ഒരു അസ്സൽ സോൾവൻസി സർട്ടിഫിക്കറ്റ് 50 രൂപ മുദ്രപത്രത്തിൽ ബന്ധപ്പെട്ട തഹസീൽദാരിൽ നിന്നും കരാർ തീയതി തൊട്ടുമുൻപുള്ള 6 മാസത്തിനകം വാങ്ങിയത് ടെണ്ടറിനോടൊപ്പം അടക്കം ചെയ്യേണ്ടതാണ്.

സ്ഥിരപ്പെടുത്തുന്ന ടെണ്ടറുകാരൻ തന്റെ സോൾവൻസി സർട്ടിഫിക്കറ്റിൽ കാണിച്ചിരിക്കുന്ന സ്വകാര്യ സ്വത്തുക്കളുടെ പകുതി കരാർ കഴിയുന്നതുവരെ സർക്കാരിലേക്ക് പണയപ്പെടുത്തേണ്ടതും അല്ലാത്തപക്ഷം കരാർ മതിപ്പുവിലയുടെ 5% വരുന്ന തുക സർവ്വേ ഡയറക്ടറുടെ പേരിൽ ബാങ്ക് ഗ്യാരണ്ടിയോ ബാങ്ക് ഡ്രാഫ്റ്റോ കരാർ അവസാനിപ്പിക്കുന്നതുവരെ സർക്കാരിലേക്ക് പണയപ്പെടുത്തേണ്ടതുകൊണ്ടുമാകുന്നു. ഈ തുക കരാർ മതിപ്പുവിലയുടെ 5% ജാമ്യത്തുകയായി ടെണ്ടർ സ്വീകരിച്ചതിനുശേഷം ടെണ്ടറുകാരൻ നിയമപ്രകാരമായി ഒടുക്കുന്നതിന് പുറമേയൊന്നും.

ടെണ്ടർ സമർപ്പിക്കുന്നതിനുള്ള ഫോറം അസിസ്റ്റന്റ് ഡയറക്ടർ, സർവ്വേയും ഭൂരേഖയും (റീസർവ്വേ) ചിന്നക്കട, കൊല്ലം എന്ന വിലാസത്തിൽ അപേക്ഷ കൊടുത്തു വാങ്ങാവുന്നതാണ്.

ടെണ്ടർ ഫോറത്തിലുള്ള അപേക്ഷയോടൊപ്പം ടെണ്ടർ ഫോറത്തിന്റെ വിലയായ 800 രൂപയും 10% വിൽപ്പന നികുതിയും 15% അധിക വിൽപ്പന നികുതിയും പണമായി ഒടുക്കേണ്ടതാണ്. യാതൊരു കാരണവശാലും ടെണ്ടർ ഫോറത്തിന്റെ വില മടക്കി നൽകുന്നതല്ല. ടെണ്ടർ ഫോറങ്ങളുടെ വിൽപ്പന 26-8-2009 ഉച്ചയ്ക്ക് 12 മണിക്ക് അവസാനിക്കുന്നതാണ്. ടെണ്ടർ ഫോറം വി. പി. പി. ആയി അയയ്ക്കുകയോ ടെണ്ടർ ഫോറത്തിന്റെ വിലയായി ചെക്കുകൾ പോസ്റ്റ് ഓർഡറുകൾ എന്നിവയായി സ്വീകരിക്കുകയോ ചെയ്യുന്നതല്ല. ഡ്യുപ്ലിക്കേറ്റ് ടെണ്ടർ ഫോറം ആവശ്യമുള്ളവർ 400 രൂപയും വിൽപ്പനനികുതിയും ഒടുക്കിയാൽ ലഭിക്കുന്നതാണ്.

സർവ്വേ കലാശാലയുടെ വിവരണം

നല്ല ഉറപ്പുള്ള കരിങ്കല്ലിൽ 60 × 15 × 15 സെന്റിമീറ്റർ അളവിലുള്ള കല്ലുകൾ. ആവശ്യമുള്ള സർവ്വേ കല്ലുകൾ 70,000 (എഴുപതിനായിരം എണ്ണം). എല്ലാ കല്ലുകളും നല്ല ഉറപ്പുള്ള കരിങ്കല്ലിൽ ഉള്ളവയും ഓരോ കല്ലിന്റെയും മുകളിൽനിന്നും മൂന്നിൽ ഒരു ഭാഗം വീതം ചതുരപ്പെടുത്തേണ്ടതാണ്. കല്ലിന്റെ മുകളിൽ നിന്നും 7 സെ. മീ. താഴെ 7 സെ. മീ. വീതിയിലും 12 സെ. മീ. നീളത്തിലുമായി ഒരു സെ. മീ. ആഴത്തിൽ ഒരു തെങ്ങടയാളം കൊത്തിയിരിക്കേണ്ടതാണ്. ബ്ലോക്ക് അതിർത്തിയിലും ഖണ്ഡം അതിർത്തിയിലും ട്രൈജംഗിൾ പോയിന്റിലും സ്ഥാപിക്കേണ്ടി വരുന്ന സർവ്വേ കല്ലുകളിൽ ഇൻഡന്റിൽ പറയുന്നവിധം നിയമാനുസൃതമായ നിശ്ചിത അടയാളങ്ങൾ കുടി ഉണ്ടായിരിക്കണം. എല്ലാ സർവ്വേകല്ലുകളുടെയും മുകൾ ഭാഗത്ത് ഒത്ത മദ്ധ്യത്തായി ഒരു പ്ളമറ്റ് ഹോൾ ഒരു സെന്റിമീറ്റർ ആഴത്തിൽ കൊത്തിയിരിക്കേണ്ടതാണ്.

ഓരോ ടെണ്ടറിനുമൊപ്പം 20,000 (ഇരുപതിനായിരം രൂപ മാത്രം) നിരതദ്രവ്യമായി സർവ്വേ ഡയറക്ടറുടെ പേരിൽ

കെട്ടിവച്ചതിനുള്ള രശീത് ടെണ്ടറിനോടൊപ്പം അടക്കം ചെയ്തിരിക്കേണ്ടതാണ്. നിരതദ്രവ്യം 26-8-2009 ഉച്ചയ്ക്ക് 12 മണിക്ക് മുൻപായി ഈ ഓഫീസിൽ അടച്ച് രശീത് വാങ്ങുകയോ അല്ലെങ്കിൽ നിരതദ്രവ്യം സർവ്വേ ഡയറക്ടറുടെ പേരിൽ മാറത്തക്കവിധം ബാങ്ക് ഡ്രാഫ്റ്റ് ആയോ ട്രഷറി സേവിംഗ്സ് ഡെപ്പോസിറ്റായോ, ഗവൺമെന്റ് പ്രോമിസറി നോട്ടായോ നൽകാവുന്നതാണ്. നിരതദ്രവ്യം കെട്ടിവച്ചതിനുള്ള രശീത് അടക്കം ചെയ്യാത്ത ടെണ്ടറുകൾ പരിഗണിക്കുന്നതല്ല. ടെണ്ടറിന്റെ പൊതു നിബന്ധനകളിൽ 33-ാം ഖണ്ഡികയിൽ നിർദ്ദേശിച്ച പ്രകാരം 50 രൂപയുടെ മുദ്രപത്രത്തിൽ നിശ്ചിത ഫോറത്തിൽ തയ്യാറാക്കി സാക്ഷ്യപ്പെടുത്തിയ ഒരു കരാർകുടി ടെണ്ടറിനോടൊപ്പം അടക്കം ചെയ്തിരിക്കേണ്ടതാണ്.

കൂടുതൽ വിവരങ്ങൾ കൊല്ലം റീസർവ്വേ അസിസ്റ്റന്റ് ഡയറക്ടറുടെ ഓഫീസിൽ നിന്നും ഓഫീസ് സമയങ്ങളിൽ അന്വേഷിച്ച് അറിയാവുന്നതാണ്.

Office of the Assistant Director,
Re-survey, Kollam.

(Sd.)
Assistant Director.

Technical Education Department

SHORT TENDER NOTICE

No. D2/4417/2009.

30th June 2009.

Tenders, sealed with sealing wax, are invited for the supply of Theodolite with tripod of Civil Engineering Department of Government Engineering College, Thrissur.

Tender should be superscribed as "Tender No. D2/53/2009-10 for the Supply of Theodolite with tripod for Civil Engineering Department" and addressed to Principal, Government Engineering College, Thrissur, Kerala. The last date for the receipt of tender is 7-9-2009, 2 p. m. The tenders will be opened at 11 a. m. on 8-9-2009 in the presence of such tenderers or their authorised representatives who may be present at that time.

Intending tenderers may obtain the requisite tender form from the Principal, Government Engineering College, Thrissur on cash remittance of Rs. 450 the price fixed for requisite tender form. Duplicate form if required will be issued at Rs. 225 per copy. Tender forms are not transferable. The sale of tender forms will be closed at 12 Noon on 7-9-2009.

Cost of tender forms should be remitted either in Cash or by Money Order Rs. 450 + Postel Charges. No other payments through Cheques, Postage Stamps, Postal Orders or Demand Drafts will be accepted towards the cost of tender forms. The forms will not be sent by V. P. P.

The offer should be valid for a minimum period of six months from the date of opening the tenders. No advance payments will be given. Tenders without Earnest Money Deposit will not be accepted.

Government Engineering College,
Thrissur.

(Sd.)
Principal.

SHORT TENDER EXTENSION NOTICE

No.P1/1795/2009/AEL.

9th July 2009.

Sealed tenders are invited for the supply of Equipments for Process Control and Instrumentation Lab of AE & I Engineering Department of Government Engineering College, Kozhikode-5.

The tenders should be superscribed as "Tender No. P1/01/2009-10 due on 21-8-2009 at 3 p. m." and addressed to the undersigned to reach him before 21-8-2009 at 3 p. m. Late tenders will not be accepted. The tenders will be opened at 11 a. m. on 22-8-2009 in the presence of such of the tenderers or their authorised representatives who may be present at that time.

Intending tenderers may, on application to the undersigned to obtain the requisite tender forms on which tenders should be submitted. Application for the tender form should be accompanied by a cash remittance of Rs. 1,575 including VAT which is the price fixed for the same and which is non-refundable under any circumstances. The tender forms are not transferable. Sale of tender forms will be closed at 2 p.m. on 20-8-2009. Drafts, Cheques, Postage Stamps etc. will not be accepted towards the cost of the tender forms, nor will the form be sent per V. P. P. Duplicate tender forms, if required will be issued at Rs. 788 (By Post Rs.838) including VAT per copy.

As per tender condition, the tenderer should send along with his tender an agreement executed and signed in Kerala Stamp Paper of value Rs. 50 and an EMD of 1% of the total cost of the articles tendered. Tenders without agreement and EMD will be rejected.

Those who want the tender form by post should send Rs. 1,625 including VAT by Money Order to the undersigned. Outside firms who desire to get Kerala Stamp Paper should send an additional amount of Rs. 60 along with the cost of tender forms.

കോഴിക്കോട് ഗവൺമെന്റ് എഞ്ചിനീയറിംഗ് കോളേജിലെ അഡ്വൈസ് ഇലക്ട്രോണിക്സ് & ഇൻസ്ട്രുമെന്റേഷൻ എഞ്ചിനീയറിംഗ് വിഭാഗത്തിലെ കൺട്രോൾ ആന്റ് ഇൻസ്ട്രുമെന്റേഷൻ ലാബിലേക്ക് ആവശ്യമായ ഉപകരണങ്ങൾ വിതരണം ചെയ്യുന്നതിലേക്കായി മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചു കൊള്ളുന്നു.

ദർഘാസുകൾ സമർപ്പിക്കുന്ന കവറിനുമുകളിൽ ദർഘാസ് നമ്പർ, തീയതി ഇവ രേഖപ്പെടുത്തി താഴെ ഒപ്പിട്ട ഉദ്യോഗസ്ഥൻ 21-8-2009-ന് 3 മണിക്ക് മുമ്പ് സമർപ്പിക്കേണ്ടതാണ്. താമസിച്ച് കിട്ടുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല. ദർഘാസുകൾ 22-8-2009-ന് രാവിലെ 11 മണിക്ക് ദർഘാസുകൾ സമർപ്പിച്ച ആളുകളുടെ സാന്നിധ്യത്തിൽ ആധികാരികമായി തുറക്കുന്നതാണ്.

ദർഘാസുകൾ ആവശ്യമുള്ളവർ 1,575 രൂപ (നികുതി ഉൾപ്പെടെ) വില നൽകി ദർഘാസ് ഫോറങ്ങൾ വാങ്ങേണ്ടതാണ്. 20-8-2009-ന് ഉച്ചയ്ക്ക് 2 മണി വരെ ദർഘാസ് ഫോറങ്ങൾ വാങ്ങാവുന്നതാണ്. ദർഘാസ് ഫോറങ്ങൾ യാതൊരു കാരണവശാലും കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. ചെക്ക്,

ഡ്രാഫ്റ്റ്, പോസ്റ്റേജ് സ്റ്റാമ്പ് തുടങ്ങിയവ സ്വീകരിക്കുന്നതല്ല. വി. പി. പി. ആയി ദർഘാസ് ഫോറങ്ങൾ അയയ്ക്കുന്നതല്ല. ഡ്യൂപ്ലിക്കേറ്റ് ദർഘാസ് ഫോറങ്ങൾ ആവശ്യമുള്ളവർ ഒരു പ്രതിക്ക് 788 രൂപ (നികുതി ഉൾപ്പെടെ) കൂടി അയയ്ക്കേണ്ടതാണ്.

ദർഘാസ് ഫോറങ്ങൾ തപാലിൽ ആവശ്യമുള്ളവർ 838 രൂപ കൂടി അയയ്ക്കേണ്ടതാണ്.

ദർഘാസ് നിയമം അനുസരിച്ച് ദർഘാസ് സമർപ്പിക്കുവോൾ ദർഘാസിനോടൊപ്പം 50 രൂപ വിലയുള്ള കേരള മുദ്രപത്രത്തിൽ സമ്മതപത്രവും 1% നിരതദ്രവ്യവും വയ്ക്കേണ്ടതാണ്. സമ്മതപത്രവും നിരതദ്രവ്യവും ഇല്ലാത്ത ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ തപാൽവഴി ആവശ്യമുള്ളവർ 1,625 രൂപ മണിഓർഡറായി പ്രിൻസിപ്പാൾ, ഗവൺമെന്റ് എഞ്ചിനീയറിംഗ് കോളേജ്, വെസ്റ്റ് ഹിൽ പി. ഒ., കോഴിക്കോട്-673 005 എന്ന പേരിൽ അയച്ചുതരേണ്ടതാണ്. കേരളത്തിന് പുറത്തുള്ള കമ്പനിക്കാർക്ക് കേരള മുദ്രപത്രം ആവശ്യമാണെങ്കിൽ ദർഘാസ് ഫോറത്തിന്റെ വിലയോടൊപ്പം 60 രൂപ കൂടി അധികമായി അയയ്ക്കേണ്ടതാണ്.

SPECIFICATIONS

1. Computerised Closed Loop Pressure Process Station

A mobile work station, with a Steel frame, Castors, Electro Pneumatic converter, Pressure Transmitter, Pneumatic control valve, Pressure tank, Manual valves, Air regulators, Sensors and Instruments. A powerful experimental setup for PID will be provided.

All the interfacing signals are industrial standard i.e. (4-20)mA and the components used are industrial standard, such that it provides a real industrial feeling of the process to the students.

This experimental setup consists of all the hardware, software and instrumentation needed to perform a wide range of process control assignment experiments.

Provides data logging

Menu driven

Graphical display

Process Trend Plot

Off-line study.—Trend plotting, Tabular, View's etc.

Powerful PID controller software under windows having the experimentation PID control, Data logging, Trend Plot, Off-line Analysis and Printing.

Technical Specifications:

Industrial type pneumatic control valve of,

Type—Single seated globe

Characteristics—Equal %

Action—air to open

Input Signal—(3-15) PSI Air

Medium—Air (or) Water

Trim Size—1"

Trim Material—SS

Body Material—Cast Iron

Connection— $\frac{3}{4}$ " flanged

Two numbers of Filter with regulator of

Input—(0-18) Kg/cm²

Output—(0-2.1) Kg/cm²/(0-10.6) Kg/cm²

Connection— $\frac{1}{4}$ " BSP

Two Numbers of Pressure tank

Capacity—5 Litres maximum

Working Pressure—7 Bar

Body Material—MS with powder coated

An industrial type Electro pneumatic converter provided to control the signal given to the control valve.

Input—(4-20)mA @ 20 PSI

Output—3-15 PSI

Connection— $\frac{1}{4}$ " BSP

Piezo resistive type sensor as a pressure sensor, which is mounted with pressure tank.

Type—Piezo resistive

Supply voltage—24V DC @ 100mA

Range—(0-5) Bar

Output—(4-20)mA

Connection— $\frac{1}{4}$ " BSP

$\frac{1}{4}$ inch Flexible quick coupling Hose tubes for better reliability.

Hand valves provisions are given for series, parallel connection of pressure tanks.

Two digital panel meters fixed in the panel to display the process variable and the controller output.

Bourdon type pressure gauges are mounted wherever necessary.

USB Based Data Acquisition Card:

One powerful data acquisition card of

8 Channel, Analog to Digital Converter

12 bit resolution

Conversion time: 7 Samples/sec.

Two Channel Digital to Analog Converter

12 bit resolution

Configured as (4-20) mA

8 Digital Inputs

8 Digital outputs

All the input and output signals are terminated at 25 pin 'D' male connector.

Software Features:

Windows 2000, XP based general purpose data acquisition control software having the features like

Menu driven Real time on screen monitoring

Off-line analysis

Data logging

Process trend plot

Control software like ON/OFF, Proportional, Proportional Integral, Proportional derivative and PID.

Unique Features :

A front panel provided with mimic diagram of Pressure control loop, indicating all the components & circuits of the loop.

All the pneumatic and electrical signals are terminated in the front panel at sockets and bulk heads so that the students can wire physically by interconnecting the various components through patch cards and flexible hose for each experiments setup.

Windows 2000 based general purpose of data acquisition and control software having powerful features like Data acquisition in real time and off line analysis, displaying in different format, trend plotting, control: ON/OFF, P, P+I, P+I+D.

Documentation :

(i) Instruction Manual

(ii) Experiment Manual

All Controllers, Transmitters and Signal Conditioners are terminated at sockets which allows the students to interconnect the devices by patch cords for flexibility in experiments and incorporating new technology as and when developed.

Note:—Manual in soft copy and hard copy should be given if purchase order is given. Detailed photos of the stations should be attached with the offer. Demo of equipments at our premises should be conducted at firm's cost if requested before finalizing the tender.

2. Computerised Closed Loop Level Process Station

A mobile work station, with a Steel frame, Castors, Electro Pneumatic Converter, Pneumatic control valve, Water Reservoir, Process Tank, Manual valves, Air regulator and the following Sensors and Instruments.

The Level process station is an attractive version comparing to the Laboratory trainer. All the interfacing signals are industrial standard i.e. (4-20)mA and the components used are industrial standard. So that it provides a real industrial feeling of the processes to the students.

Provides data logging

Menu driven

Process Trend Plot

Off-line study: Trend plotting, Tabular, View's etc.

Powerful PID controller software under windows having the experimentation PID control, Data logging, Trend Plot, Off-line Analysis and Printing.

Technical Specifications:

Two digital panel meters fixed in the panel to display the process variable and the controller output.

RF Capacitance sensor as a level sensor :

Type—RF Capacitance

Supply Voltage—24V DC @ 100mA

Range—(0-700) mmwc

Output—(4-20)mA

Regulated power supply :

Input Supply—230V AC

Output—+12V DC @ 500mA

+5V DC @ 1Amp

+24V DC @ 200mA

Electro Pneumatic converter of,

Input—(4-20)mA@20PSI

Output—(3-15) PSI

Connection— $\frac{1}{4}$ " BSP

Industrial type pneumatic control valve of

Type—Single seated globe

Characteristics—Equal %

Action—Air to open

Input Signal—(3-15) PSI Air

Medium—Air (or) Water

Trim Size—1"

Trim Material—SS

Body Material—Cast Iron

Connection— $\frac{3}{4}$ " flanged

Filter with regulator of

Input—(0-18)Kg/cm²

Output—(0-2.1)Kg/cm²

Connection— $\frac{1}{4}$ " BSP

Rotameter provided for visual indication of the flow rate :

Range—(100-1000) LPH

Body—Glass (or) Acrylic

Connection— $\frac{3}{4}$ " flanged

Rust proof storage tank :

Body Material—MS with inner fibre coated

Capacity—45 litres (approx.)

Rust Proof Process tank :

Body Material—Fibre

Capacity—30 litres

Height—800mm

Electronic level switches provided for overflow Alarm indication and pump cutoff.

Solenoid valve provided at the feedback of the process tank.

Size— $\frac{1}{2}$ " BSP

Medium—Water

Maximum Pressure—5 Bar

Supply Voltage—230V AC

Centrifugal pump for water circulation :

Model—Tullu-80

Power Consumption—250 watt

Supply Voltage—230V AC/DC

By pass line is provided in the reservoir to avoid pump loading.

All are fixed in a mobile rack of size and weight approximately 100 Kg

Pressure gauges are mounted wherever necessary

All pipe lines are SS fittings

By pass valve provided to avoid the pump loading

Mimic diagram in the panel.

USB Based data Acquisition Card:

One powerful data acquisition card of

8 Channel, Analog to Digital Converter

12 bit resolution

Conversion time: 7 Samples/sec.

Two Channel Digital to Analog Converter

12 bit resolution

Configured as (4-20) mA

8 Digital Inputs

8 Digital Outputs

Software Features:

Windows 2000, XP based general purpose data acquisition control software having the features like

Menu driven Real time on Screen Monitoring

Off-line analysis

Data logging

Process trend plot

Control Software like ON/OFF, Proportional,

Proportional Integral

Proportional derivative and PID.

Unique Features :

A front panel provided with mimic diagram of Level control loop, indicating all the components and circuits of the loop.

All the pneumatic and electrical signals are terminated in the front panel at sockets and bulk heads so that the students can wire physically by interconnecting the various components through patch cards and flexible hose for each experiments setup.

Window 2000/XP based general purpose of data acquisition and control software having powerful features like Data acquisition in real time and off line analysis, displaying in different format, trend plotting, control: ON/OFF, P, P+I, P+I+D control.

Documentation—(i) Instruction Manual,
(ii) Experiment Manual

Note:—Manual in soft copy and hard copy should be given if purchase order is given. Detailed photos of the stations should be attached with the offer. Demo of equipments at our premises should be conducted at firm's cost if requested before finalizing the tender.

3. Computerise Closed Loop Flow Process Station

A mobile work station, with a steel frame, Castors, Electro Pneumatic Converter, Pneumatic control valve, Water Reservoir, Process Tank, Differential Pressure Transmitter, Air regulator and the following Sensors and Instruments:

The flow process station is an attractive version comparing to and Laboratory trainer. All the interfacing signals are industrial standard i.e., (4-20)mA and the components used are industrial standard, such that it provides a real industrial feeling of the process to the students.

This experimental setup consists of all the hardware, software and instrumentations needed to perform a wide range of process control assignments.

Provide data logging

Process Trend Plot

Offline Study: Trend plotting, Tabular views etc.

Powerful PID controller software under windows having the experimentation PID control, Data logging, trend plot, off-line analysis and printing.

Technical Specification

Orifice plate assembly provided to develop the different pressure.

Line Size— $\frac{3}{4}$ " (or) 1"

Diameter—10mm

Material—SS316

Pressure Tapping— $\frac{1}{4}$ " BSP

Differential pressure transmitter provided to sense the flow of liquid.

Type—DPT with SMART

Range—(0-1000)mmwc

Supply Voltage—24V DC @ 100mA

Out Put—(4-20)mA non-linear with flow

Connection— $\frac{1}{4}$ " BSP

Electronic Regulated 24 volt DC @ 2 Amp Power supply for voltage regulation.

Two digital panel meters fixed in the panel to display the process variable and the controller output.

Industrial type pneumatic control valve of,

Type—Single seated globe

Characteristics—Equal %

Action—Air to open

Input Signal—(3-15) PSI Air

Medium—Air (or) Water

Trim Size—1"

Trim Material—SS

Body Material—Cast Iron

Connection— $\frac{3}{4}$ " Flanged

Electro Pneumatic converter

Input—(4-20) mA @ 20 PSI

Output—(3-15) PSI

Connection— $\frac{1}{4}$ " BSP

$\frac{1}{2}$ inch Flexible Hose tubes for better reliability.

Rotameter provided for visual indication of the flow rate.

Range—(100-1000) LPH

Body—Glass (or) Acrylic

Connection— $\frac{3}{4}$ " Flanged

Rust Proof Storage Tank

Body Material—MS with inner fiber coated

Capacity—45 litres (approx.)

Rust Proof Process Tank

Body Material—Fiber

Capacity—30 Litres

Height—800mm

Solenoid valve provided at the feed back of the process tank

Size— $\frac{1}{2}$ " BSP

Medium—Water

Maximum Pressure—5 Bar

Supply Voltage—230V AC

Centrifugal pump for water circulation

Model — Tullu -80

Power Consumption — 250 watt

Supply Voltage — 230 V AC/DC

Bypass line is provided in the reservoir to avoid pump loading.

Filter with regulator of,

Input — (0-18) Kg/cm²

Output — (0-2.1) Kg/cm²

Connection — $\frac{1}{4}$ " BSP

Flexible patch chords wiring facility for easier experiments.

All are fixed in a mobile rack of size and weight approximately 100kg.

Bourdon type pressure gauges provided wherever necessary.

All water paths are lined by Rust proof pipes

Mimic diagrams provided in the front panel for logical experimentation

All the input and output signals are terminated at 25 pin 'D' male connector.

USB Based Data Acquisition Card

One powerful data acquisition card of,

8 Channel, Analog to Digital Converter,

12 bit resolution

Conversion time : 7 Samples/sec.

Two Channel Digital to Analog Converter.

12 bit resolution

Configured as (4-20) m A

8 Digital Inputs

8 Digital outputs

Software Features

Windows 2000, XP based general purpose data acquisition control software having the features like,

Menu driven Real time on screen monitoring

Off-line analysis

Data logging

Process trend plot

Control software like ON/OFF, Proportional, Proportional Integral, Proportional derivative and PID.

Unique Features

A front panel provided with mimic diagram of Flow control loop, indicating all the components & circuits of the loop.

All the pneumatic and electrical signals are terminated in the front panel at sockets and bulk heads so that the students can wire physically by interconnecting the various components through patch cards and flexible hose for each experiments setup.

Windows 2000/XP based general purpose of data acquisition and control software having powerful features like Data acquisition in real time and off line analysis, displaying in different format, trend plotting, control : ON/OFF, P, P+I, P+I+D.

Note:—Manual in soft copy and hard copy should be given if purchase order is given. Detailed photos of the stations should be attached with the offer. Demo of equipments at our premises should be conducted at firm's cost if requested before finalizing the tender.

Govt. Engineering College,
West Hill, Kozhikode-5.

(Sd.)
Principal.

Water Transport Department

ലഘു ദർഘാസ് പരസ്യം

നമ്പർ സി5-7219/09.

2009 ജൂലൈ 13.

സംസ്ഥാന ജലഗതാഗത വകുപ്പിലേക്ക് താഴെ പറയുന്ന സാധനങ്ങൾ സപ്ലൈ ചെയ്യുന്നതിന് മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ദർഘാസ് നമ്പർ—33/സി5/2009-10.

സപ്ലൈ ചെയ്യേണ്ട വസ്തു—ആട്ടോ ഇലക്ട്രിക്കൽ ഐറ്റംസ്. അടങ്കൽ തുക—രൂപ 1,27,526.

നിരതദ്രവ്യം—രൂപ 1,275.

ദർഘാസ് ഫാറത്തിന്റെ വില—രൂപ 450 (വിൽപ്പന നികുതി ഉൾപ്പെടെ)

ദർഘാസ് ഫോറം വിൽപ്പനയുടെ അവസാന തീയതിയും സമയവും—29-8-2009, 1 മണി.

ദർഘാസ് ലഭിക്കേണ്ട അവസാന തീയതിയും സമയവും—29-8-2009, 3 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—29-8-2009, 3.15 മണി.

ദർഘാസ് സംബന്ധിച്ച് കൂടുതൽ വിവരങ്ങൾ പ്രവർത്തി ദിവസങ്ങളിൽ വൈകുന്നേരം 5 മണി വരെ ഈ ഓഫീസിൽ ലഭ്യമാണ്. ടെലഫോൺ നമ്പർ 0477 2252015.

സംസ്ഥാന ജലഗതാഗത വകുപ്പ്,
ആലപ്പുഴ.

(ഒപ്പ്)
ഡയറക്ടർ.